51200-1-h

STATE OF CONNECTICUT

One Hundred and Forty-First

REGISTRATION REPORT

1988

STATE OF CONNECTICUT

ONE HUNDRED AND FORTY-FIRST REGISTRATION REPORT

of

Births, Marriages, Divorces and Deaths

for the

YEAR ENDING DECEMBER 31, 1988

Issued by
THE STATE DEPARTMENT OF HEALTH SERVICES
HARTFORD

Published by the State

Price $10.00

DEPARTMENT OF HEALTH SERVICES

HARTFORD, 1990

To His Excellency, William A. O'Neill, Governor of the State of Connecticut:

Sir:

In compliance with the laws of the State, I have the honor to present to you the one hundred and forty-first report, relating to the births, marriages, divorces and deaths that were registered in Connecticut in the year 1988.

Very respectfully,

Frederick G. Adams, D.D.S., M.P.H.
Commissioner of Health Services

Frederick G. Adams, D.D.S., M.P.H.
Commissioner of Health Services

Sir:

I have the honor to submit herewith the annual registration report for the year 1988, prepared by the Division of Health Surveillance and Planning. At this time I wish to express my appreciation of the work performed by the division staff in preparing this report. I would also like to extend my appreciation to the staff of the Vital Statistics Section, who are responsible for overseeing the registration of vital events and for data collection and coding, and to the staff of the Data Processing Division, who are responsible for data entry and file maintenance.

Respectfully,

Marie V. Roberto

Marie V. Roberto, Dr.P.H.
Deputy Commissioner of Health Services

STAFF

Division of Health Surveillance and Planning

Richard J Gruber
Director

Lloyd Mueller
Epidemiologist

Leah Weintrub
Research Analyst

Joan Shaia
Secretary I

Vital Statistics

Kathryn Church
Registrar

Julia Adams
Head Vital Records Technician

Data Processing Division

Phil Mollison
Chief, Data Management

Conrad Wopperer
Senior Systems Analyst

CONTENTS

Vital Statistics for 1988

	Page
Summary for Year	4
Population Estimate, 1988	4
Births	5
Fetal Deaths	5
Deaths	5
Leading Causes of Death	5
Infant Mortality	6
Marriages	6
Marriage Dissolutions	6

TABLES

Table No.		
1	Population Estimate, 1988, by age and sex	7
2	Estimated populations and vital statistics by towns of residence and towns of occurrence	8
3	Live births to Connecticut residents by age of mother, Spanish origin of mother, and race of child	16
4	Live births to residents of Connecticut towns by race, low birthweight and maternal age	22
5	Fetal deaths occurring in Connecticut by age of mother	36
6	Causes of fetal deaths occurring in Connecticut	39
7	Causes of death, Connecticut residents	40
8	Causes of death among nonwhite Connecticut residents	44
9	Deaths under one year of age (infants)	48
10	Selected causes of infant deaths	53
11	Leading causes of death by age groups	57
12	Number of present marriage for brides and grooms	59
13	Previous marital status of brides and grooms	59
14	County of Dissolution of marriages	60
15	Children under 18 involved in dissolution of marriages	60
16	Duration of marriages dissolved in 1988	60

Glossary 61

Rates, calculation of 62

REGISTRATION REPORT OF VITAL STATISTICS IN CONNECTICUT

Summary For Year

The Annual Registration Report of Vital Statistics, 1988, is a statistical summary of vital events for the State of Connecticut. Presented are data pertaining to births, deaths, marriages, and divorces.

Certain qualifications must be made with regard to the data contained herein, and should be kept in mind when examining data sets:

A. Completeness of Registration
The Connecticut Department of Health Services reciprocates with other states and the provinces of Canada in exchanging copies of birth and death records for non-residents. Registration of births in Connecticut is virtually 100% complete and there is virtually no underreporting of deaths. Because there is no interstate transfer of marriage and divorce records, it is not possible to determine the completeness of registration of these events to Connecticut residents. The interstate transfer of fetal death records has been inconsistent; however, in most years these records appear to be 99% complete.

B. Comparability of Cause-of-Death Data
The system for classifying causes of death, the International Classification of Diseases (ICD), is revised every ten years to reflect changes in medical practices and new medical knowledge. Each revision results in a degree of discontinuity in cause-of-death statistics. A ratio of comparability must be used to adjust for changes in classification from one ICD revision to another. Causes of death in 1988 were coded using the ninth revision of the ICD, which became effective in 1979, and using the Addendum to the International Classification of Diseases Ninth Revision for the Classification of Human Immunodeficiency Virus Infection.

C. Comparison of Rates
Caution should be used in drawing conclusions based on rates which are calculated from small numbers of events or for small geographic areas. Because these rates may vary considerably, use of them for comparison purposes or for estimating future events will be limited.

D. For Further Information
Further information can be obtained by contacting the Division of Health Surveillance and Planning, 150 Washington Street, Hartford, Connecticut 06106, Telephone numbers 566-5451 or 566-1120.

POPULATION ESTIMATE, 1988

The estimated population of Connecticut as of July 1, 1988 was 3,326,420. This reflects a natural increase (difference between births and deaths) of 19,568, and a net migration into Connecticut of 28,872. The population estimated for 1988 is an increase of 1.48% over the previous year. The population of each town in Connecticut is estimated yearly using the preceding U.S. decennial census as a base line. Changes are calculated by using known births and deaths and by estimating migration using school enrollment and housing unit changes.

BIRTHS

In 1988 the number of resident live births was 48,083. This represents an increase of 1,142 from 1987 and an increase in the birth rate from 14.3 to 14.5 per 1,000 population. The total number includes 39,367 White births, 7,120 Nonwhite births (of which 86.5% were Black and 13.5% were Other Races), and 1,596 births of Unknown Race. There were 4,339 births to mothers of Spanish origin, 9.0% of the total number of births. There were 1,182 births to Connecticut residents occurring out of state, 2.5% of the total births. There were 4,122 births to teenage mothers (19 years of age or less). This was 8.6% of all births, the same percent as in 1987. Included in births to teenage mothers were 2,311 White infants, 1,450 Nonwhite infants (consisting of 95.7% Black and 4.3% Other Races), and 361 infants of Unknown Race. Among births to mothers of Spanish origin, 1,061, or 24.5%, occurred to teenage mothers.

FETAL DEATHS

The fetal death ratio decreased in 1988 with a total count of 345 or 7.2 deaths per 1,000 live births occurring in Connecticut, compared to 353 deaths and a ratio of 7.5 in 1987.

DEATHS

The number of registered deaths among Connecticut residents for 1988 was 28,515, for a crude rate of 8.6 per 1,000 population. This is the same as the crude rate in 1987. Of the total number of residents deaths, 14,230 were males and 14,285 were females.

When total resident deaths are examined by age of the deceased, the greatest number occurred among persons 80 years of age or over. Deaths in this age group numbered 10,760 in 1988, or 37.7% of the total number of resident deaths. This represents an increase in the proportion of deaths among the elderly from 33.7% in 1978 and 37.1% in 1987. The median age at death was 75.1, an increase from a median age of 74.6 in 1987. Death for females occurred at an older age than males, a median of 79.1 and 71.2 respectively.

LEADING CAUSES OF DEATH

In 1988 as in 1987, the five leading causes of death, in the order of their proportional share of the total number of deaths, were diseases of the heart, malignant neoplasms, cerebrovascular disease, influenza and pneumonia and accidents. The leading cause of death of the age group 1 to 44 was accidents. Between 45 and 64 years of age, the leading cause was malignant neoplasms and for 65 years and over it was diseases of the heart.

Diseases of the Heart

Heart diseases accounted for 10,267 resident deaths in 1988, for a total proportional share of 36.0%. This is a slight decrease from a proportional share of 36.2% in 1987. The median age at death from heart disease was 78.1. Acute myocardial infarction claimed a 26.2% share of total heart disease mortality with a 38.2% share attributed to other ischemic heart disease. Median age at death from myocardial infarction was 74.9; for other ischemic heart disease, median age was 80.2.

Malignant Neoplasms

There were 6,822 deaths attributed to malignant neoplasms in 1988, a proportional share of 23.9% of all resident mortality. This is a decrease from a proportional share of 24.6% in 1987. The median age at death due to cancer was 70.7. Malignant neoplasms of the digestive organs and the respiratory system each accounted for 26.5% of all deaths in this category. These sites are followed by malignant neoplasms of the genitourinary system (14.5%), of the breast (9.2%) and of the lymphatic and hematopoietic tissue (8.6%).

Cerebrovascular Disease
Cerebrovascular disease was responsible for 1,722 resident deaths in Connecticut. This cause of death had a proportional share of 6.0% of total resident deaths, a slight decrease from 6.2% in 1987. The median age at death from cerebrovascular disease was 81.2.

Influenza and Pneumonia
There were 1,114 deaths from these causes, amounting to 3.9% of all resident deaths, an increase from 3.4% in 1987. The crude mortality rate per 100,000 population was 33.5.

Accidents
A total of 961 accidents, of all types, accounted for 3.4% of all resident deaths in 1988, a very slight increase from 3.3% in 1987. Of this total 51.8% was attributed to resident motor vehicle accidents, an increase from 48.5% in 1987. Over thirty-eight percent (38.6%) of all motor vehicle deaths occurred to those 24 years of age and less. The leading cause of non-motor vehicle accidents was falls, which had a 16.8% share of the total accidents.

INFANT MORTALITY

There were 426 resident infant deaths in Connecticut in 1988, a rate of 8.9 per 1,000 live births, compared to the previous year's total of 410, or 8.7 deaths per 1,000 live births. From 1987, this represents an increase in the number of infant deaths of 3.9%. The Connecticut rate was under the provisional 1988 national rate of 9.9 infant deaths per 1,000 live births. Of all resident infant deaths, 40.8% occurred within the first day of life, 60.8% within the first week and 70.4% within the first month. Neonatal deaths showed a 1.7% increase from 295 in 1987 to 300 in the current year, while postneonatal deaths increased 9.6% from 115 in 1987 to 126 in 1988.

While the statewide infant death rate has been dropping steadily in recent years, this year marks an exception to this trend. This decline has taken place to a large extent outside the state's major urban areas and among predominantly white populations. Among White infants, there were 39,367 births and 319 deaths in 1988, yielding an infant mortality rate of 8.1 per 1,000 live births. This rate is 11.0% above the corresponding 1987 rate of 7.3 per 1,000 live births. Among Nonwhite infants, there were 7,120 births and 101 deaths, with a corresponding rate of 14.2, a decrease from a rate of 16.7 in 1987.

MARRIAGES

Marriages occurring in Connecticut totaled 27,892 in 1988, a 2.9% increase from the previous year. The current year's total represents a marriage rate of 16.8 persons marrying in Connecticut per 1,000 population, compared to 16.5/1,000 in 1987. The median age at marriage for grooms was 28.0, and for brides, 26.0. These are the same as the median ages in 1987.

MARRIAGE DISSOLUTIONS

There were 12,009 marriages dissolved in Connecticut during 1988, for a marriage dissolution rate of 7.2 persons per 1,000 population. The current rate is a decrease of 2.7% from the previous year.

Duration of Marriage
The median duration of those marriages which terminated in 1988 was 8.0 years, which is the same as the median duration in 1987 and 1986.

Connecticut State Department of Health Services
Health Surveillance and Planning Division

Table 1: Population Estimate of Connecticut by Age and Sex
As of July 1, 1988

AGE GROUP	MALE	FEMALE	TOTAL
TOTAL	1,603,880	1,722,540	3,326,420
0- 4	115,460	109,360	224,820
5- 9	108,010	103,740	211,750
10-14	98,710	94,430	193,140
15-19	118,170	114,970	233,140
20-24	127,630	127,790	255,420
25-29	136,820	140,110	276,930
30-34	142,350	138,760	281,110
35-39	120,640	127,570	248,210
40-44	112,480	121,570	234,050
45-49	91,920	98,150	190,070
50-54	76,720	82,170	158,890
55-59	79,160	85,510	164,670
60-64	77,970	87,920	165,890
65-69	70,580	84,870	155,450
70-74	53,500	70,990	124,490
75-79	36,370	55,770	92,140
80-84	21,480	39,390	60,870
85 & over	15,910	39,470	55,380
65+	197,840	290,490	488,330

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1988

	Population estimated as of July 1, 1988	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Colvan Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
CONNECTICUT	3,326,420	48,193	345	28,730	27,892	48,083	7,120	11,465	4,248	338	102	28,515	1,950	24,301	25,259	14.5	8.6	14.9
HSA I. Southwestern	648,890	10,187	58	5,604	5,668	9,158	1,989	2,347	1,168	61	29	5,813	576	4,462	4,820	14.1	9.0	14.3
Bridgeport	142,710	5,029	36	2,378	1,195	2,913	1,022	1,385	662	25	13	1,572	293	1,283	1,285	20.4	11.0	18.0
Darien	19,040	0	0	56	203	251	4	14	1	0	0	119	0	84	107	13.2	6.3	10.0
Easton	6,430	1	0	4	64	61	1	4	0	1	0	33	0	27	31	9.5	5.1	9.0
Fairfield	55,740	2	0	336	452	604	14	40	1	2	0	582	2	314	343	10.8	10.4	11.8
Greenwich	60,540	1,176	3	547	606	625	30	54	11	3	0	549	18	287	352	10.3	9.1	10.6
Monroe	17,520	0	0	19	63	206	4	12	0	0	0	83	0	74	92	11.8	4.7	9.5
New Canaan	18,640	0	0	70	201	157	4	11	2	0	0	159	3	78	95	8.4	8.5	9.3
Norwalk	80,900	1,651	9	845	601	1,234	333	309	194	8	5	665	90	660	660	15.3	8.2	16.3
Stamford	109,370	2,324	10	935	1,024	1,696	487	373	251	10	9	901	134	894	955	15.5	8.2	16.9
Stratford	50,790	1	0	155	421	566	63	89	40	5	2	565	28	358	399	11.1	11.1	14.9
Trumbull	34,050	0	0	115	343	330	16	26	4	3	0	280	5	177	232	9.7	8.2	12.0
Weston	9,170	1	0	21	70	91	1	6	1	0	0	44	0	39	41	9.9	4.8	8.7
Westport	26,760	1	0	75	329	249	6	16	0	2	0	164	2	137	157	9.3	6.1	11.0
Wilton	17,230	1	0	48	96	175	4	8	1	2	0	97	1	50	71	10.2	5.6	7.0
HSA II. South Central	631,630	9,566	84	6,472	5,003	9,258	1,689	2,470	1,087	58	20	5,781	506	4,696	4,803	14.7	9.2	15.0
Ansonia	18,910	0	0	21	144	318	39	70	30	0	0	197	10	116	124	16.8	10.4	12.7
Bethany	4,710	1	0	4	13	61	2	2	2	0	0	31	3	25	26	13.0	6.6	10.8
Branford	27,510	0	0	1,033	226	323	7	33	1	0	0	228	4	266	263	11.7	8.3	19.2
Derby	12,590	789	2	402	113	172	5	47	1	0	0	121	0	127	111	13.7	9.6	18.9
East Haven	26,650	1	0	47	206	442	10	68	1	1	0	267	0	221	230	16.6	10.0	16.9
Guilford	19,990	4	0	84	162	241	5	30	0	0	0	137	2	116	118	12.1	6.9	11.7
Hamden	52,240	4	0	263	359	641	90	98	40	5	2	581	29	360	375	12.3	11.1	14.1
Madison	15,590	2	0	35	116	133	3	16	0	2	0	108	0	65	72	8.5	6.9	8.8

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1988

	Population estimated as of July 1, 1988	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA II, South Central Cont'd.																		
Meriden	60,570	1,161	8	678	477	1,028	76	246	44	7	1	548	16	515	521	17.0	9.0	17.1
Milford	52,220	627	4	381	434	664	21	75	4	5	0	418	4	400	372	12.7	8.0	14.8
New Haven	127,750	6,972	70	2,605	1,177	2,521	1,226	1,416	885	24	15	1,335	395	976	967	19.7	10.5	15.2
North Branford	13,520	0	0	8	117	185	3	20	0	2	1	72	0	94	112	13.7	5.3	15.2
North Haven	22,750	0	0	54	167	224	14	26	5	2	0	195	4	136	147	9.8	8.6	12.4
Orange	13,530	2	0	28	150	115	6	10	1	0	0	116	2	53	82	8.5	8.6	10.0
Oxford	8,030	0	0	9	74	111	1	6	0	1	0	44	1	42	44	13.8	5.5	10.7
Seymour	14,420	1	0	17	96	204	4	18	0	0	0	119	0	113	123	14.1	8.3	16.4
Shelton	35,920	0	0	171	223	474	9	41	2	2	1	273	1	254	287	13.2	7.6	15.1
Wallingford	41,710	1	0	246	346	564	15	74	4	2	0	404	5	322	308	13.5	9.7	15.1
West Haven	54,720	1	0	377	304	798	152	172	67	5	0	538	28	465	477	14.6	9.8	17.2
Woodbridge	8,300	0	0	9	99	39	1	2	0	0	0	49	2	30	44	4.7	5.9	8.9
HSA III, Eastern	542,620	6,096	29	3,866	4,848	8,098	630	1,366	251	49	7	4,229	100	4,223	4,266	14.9	7.8	15.6
Ashford	3,510	0	0	2	31	54	0	6	0	0	0	14	0	19	18	15.4	4.0	10.5
Bozrah	2,350	1	0	4	15	22	1	4	0	0	0	20	0	6	7	9.4	8.5	5.5
Brooklyn	6,560	2	0	27	46	61	0	9	0	0	0	71	0	39	46	9.3	10.8	13.0
Canterbury	4,030	0	0	7	24	60	1	7	0	2	0	25	0	28	30	14.9	6.2	14.4
Chaplin	1,950	1	0	2	13	27	1	3	0	0	0	14	0	15	19	13.8	7.2	17.4
Chester	3,310	1	0	23	41	45	2	4	1	0	0	23	0	22	25	13.6	6.9	14.2
Clinton	12,540	0	0	31	75	216	6	21	2	4	0	95	0	98	107	17.2	7.6	16.3
Colchester	10,090	1	0	47	53	228	7	24	1	1	0	74	3	85	87	22.6	7.3	17.0
Columbia	4,140	0	0	4	36	72	2	7	0	0	0	26	0	27	25	17.4	6.3	12.6

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1988

	Population estimated as of July 1, 1988	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III. Eastern Cont'd.																		
Coventry	9,510	4	0	18	59	164	2	16	0	0	0	53	0	71	65	17.2	5.6	14.3
Cromwell	12,180	2	0	57	83	167	3	14	1	1	0	96	1	106	109	13.7	7.9	17.7
Deep River	4,320	0	0	13	31	48	1	5	0	0	0	37	1	47	40	11.1	8.6	20.1
Durham	5,820	1	0	8	41	85	0	12	0	1	0	36	0	33	29	14.6	6.2	10.7
Eastford	1,100	0	0	4	8	13	0	2	0	0	0	7	0	8	10	11.8	6.4	16.4
East Haddam	6,660	1	0	25	110	101	1	12	0	0	0	47	1	47	52	15.2	7.1	14.9
East Hampton	9,940	2	0	22	62	157	8	22	3	0	0	59	1	81	78	15.8	5.9	16.0
East Lyme	15,200	0	0	14	143	194	4	21	1	1	0	100	1	111	122	12.8	6.6	15.3
Essex	5,780	1	0	42	75	60	4	7	1	0	0	60	1	38	42	10.4	10.4	13.8
Franklin	1,830	1	0	3	7	24	0	1	0	0	0	16	0	11	13	13.1	8.7	13.1
Griswold	9,930	0	0	42	59	167	5	31	2	3	0	96	0	77	70	16.8	9.7	14.8
Groton	44,850	271	2	128	436	883	87	81	20	4	1	268	8	388	357	19.7	6.0	16.6
Haddam	6,930	2	0	8	45	76	2	11	1	0	0	38	0	43	45	11.0	5.5	12.7
Hampton	1,510	1	0	7	19	12	0	4	0	0	0	13	0	11	13	7.9	8.6	15.9
Killingly	15,590	2	0	133	217	286	10	80	3	2	1	155	0	129	138	18.3	9.9	17.1
Killingworth	4,600	0	0	7	25	57	1	0	0	0	0	22	0	22	20	12.4	4.8	9.1
Lebanon	5,740	2	0	9	35	97	0	11	0	1	0	28	0	34	30	16.9	4.9	11.1
Ledyard	15,210	2	0	10	99	261	8	25	1	1	0	49	1	108	117	17.2	3.2	14.8
Lisbon	3,740	1	0	4	15	23	2	0	0	0	0	32	1	17	23	6.1	8.6	10.7
Lyme	1,970	0	0	5	42	21	1	3	0	0	0	20	0	14	12	10.7	10.2	13.2
Mansfield	21,220	4	0	21	87	150	23	23	4	0	0	73	1	94	100	7.1	3.4	9.1
Middlefield	4,000	0	0	0	0	51	0	6	0	0	0	18	0	19	13	12.8	4.5	8.0
Middletown	44,750	1,168	4	802	370	620	144	168	93	6	2	362	20	410	371	13.9	8.1	17.5

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1988

	Population estimated as of July 1, 1988	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
						Live Births				Fetal Deaths		Total Deaths		Marriages				
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III. Eastern Cont'd.																		
Montville	17,140	0	0	17	126	260	14	34	4	4	1	91	3	136	143	15.2	5.3	16.3
New London	28,740	2,124	6	639	458	547	141	132	51	1	0	295	32	317	327	19.0	10.3	22.4
North Stonington	4,490	2	0	4	41	60	1	4	0	0	0	31	1	40	40	13.4	6.9	17.8
Norwich	38,720	1,238	10	679	406	681	79	185	41	3	0	424	19	366	381	17.6	11.0	19.3
Old Lyme	6,700	1	0	17	80	80	1	7	0	0	0	72	0	50	51	11.9	10.7	15.1
Old Saybrook	10,190	0	0	90	115	103	6	12	3	2	0	109	3	67	59	10.1	10.7	12.4
Plainfield	13,710	0	0	57	84	196	2	43	1	1	0	107	0	128	126	14.3	7.8	18.5
Pomfret	3,080	1	0	10	55	33	0	3	0	0	0	19	0	19	11	10.7	6.2	9.7
Portland	8,770	0	0	31	83	119	6	12	2	1	0	73	0	58	62	13.6	8.3	13.7
Preston	5,010	0	0	8	46	31	1	2	0	1	0	32	0	24	29	6.2	6.4	10.6
Putnam	9,160	734	4	260	50	133	4	36	2	0	0	112	1	70	73	14.5	12.2	15.6
Salem	3,050	1	0	7	14	47	5	0	0	0	0	11	0	21	23	15.4	3.6	14.4
Scotland	1,220	2	0	0	16	25	0	2	0	0	0	11	0	8	7	20.5	9.0	12.3
Sprague	3,060	1	0	5	26	46	3	10	1	0	0	23	0	23	27	15.0	7.5	16.3
Sterling	2,120	0	0	5	18	30	0	8	0	0	0	21	0	18	17	14.2	9.9	16.5
Stonington	17,900	2	0	46	277	225	3	21	1	1	0	176	0	92	101	12.6	9.8	10.8
Thompson	8,620	0	0	17	87	127	1	17	0	1	0	73	0	54	61	14.7	8.5	13.3
Union	570	0	0	2	6	2	0	0	0	0	0	3	0	4	4	3.5	5.3	14.0
Voluntown	1,880	1	0	3	20	38	3	6	1	0	0	19	0	15	21	20.2	10.1	19.1
Waterford	19,070	0	0	118	127	205	6	17	1	2	0	156	0	128	139	10.7	8.2	14.0
Westbrook	5,660	0	0	11	76	70	3	4	0	0	0	60	0	48	48	12.4	10.6	17.0
Willington	5,280	1	0	9	21	74	4	3	0	0	0	25	0	44	38	14.0	4.7	15.5
Windham	21,590	515	3	294	172	396	20	161	9	5	2	201	1	194	193	18.3	9.3	17.9
Woodstock	6,030	2	0	8	42	68	1	7	0	0	0	38	0	41	52	11.3	6.3	15.4

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1988

	Population estimated as of July 1, 1988	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA IV. North Central	960,250	15,298	126	8,291	7,830	13,808	2,194	3,790	1,368	112	36	8,086	598	6,939	7,263	14.4	8.4	14.8
Andover	2,490	0	0	0	7	56	2	6	1	0	0	13	0	16	14	22.5	5.2	12.0
Avon	13,710	1	0	72	131	141	4	11	1	2	0	94	2	79	84	10.3	6.9	11.9
Berlin	16,570	1	0	30	117	172	4	13	1	0	0	113	0	75	87	10.4	6.8	9.8
Bloomfield	20,810	1	0	151	146	214	100	56	47	1	0	203	43	120	127	10.3	9.8	11.9
Bolton	4,430	1	0	4	44	57	1	5	1	0	0	31	0	31	30	12.9	7.0	13.8
Bristol	62,460	853	2	429	524	879	35	149	16	6	1	442	8	548	577	14.1	7.1	18.0
Burlington	6,790	4	0	12	61	108	0	11	0	0	0	35	0	38	40	15.9	5.2	11.5
Canton	8,180	0	0	9	25	134	2	15	0	0	0	69	0	48	56	16.4	8.4	12.7
East Granby	4,440	0	0	10	18	63	3	3	1	0	0	25	0	26	32	14.2	5.6	13.1
East Hartford	52,240	0	0	193	329	689	120	166	55	3	0	459	11	436	436	13.2	8.8	16.7
East Windsor	10,410	1	0	76	126	147	9	17	3	0	0	115	3	119	118	14.1	11.0	22.8
Ellington	11,710	1	0	17	70	166	4	12	0	1	0	69	3	114	105	14.2	5.9	18.7
Enfield	47,350	1	0	167	443	649	26	77	7	5	0	328	2	331	373	13.7	6.9	14.9
Farmington	20,120	520	19	333	186	238	9	21	1	1	0	156	5	131	136	11.8	7.8	13.3
Glastonbury	28,770	1	0	81	271	303	14	34	3	1	0	179	0	172	183	10.5	6.2	12.3
Granby	9,630	0	0	14	48	144	3	15	0	2	0	57	0	51	50	15.0	5.9	10.5
Hartford	133,870	9,469	80	3,091	1,257	3,115	1,408	2,085	1,035	42	27	1,365	444	1,097	1,060	23.3	10.2	16.1
Hartland	1,630	0	0	1	12	29	1	5	1	0	0	15	1	11	10	17.8	9.2	12.9
Hebron	6,950	3	0	6	31	137	2	16	2	0	0	30	0	41	33	19.7	4.3	10.6
Manchester	52,210	1,373	4	618	509	738	40	121	18	7	0	453	3	416	460	14.1	8.7	16.8
Marlborough	5,310	0	0	8	28	108	2	10	0	1	0	14	0	37	32	20.3	2.6	13.0
New Britain	75,120	2,341	15	902	586	1,150	170	444	93	10	4	813	29	630	636	15.3	10.8	16.9
Newington	29,810	0	0	290	205	285	13	22	4	1	0	255	4	191	208	9.6	8.6	13.4
Plainville	18,020	0	0	72	113	215	8	37	3	0	0	161	6	152	146	11.9	8.9	16.5

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1988

	Population estimated as of July 1, 1988	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA IV, North Central Cont'd.																		
Plymouth	11,720	0	0	22	87	170	2	9	1	0	0	83	0	84	78	14.5	7.1	13.8
Rocky Hill	16,090	1	0	161	109	196	11	17	3	1	0	144	4	145	153	12.2	8.9	18.5
Simsbury	23,890	2	0	62	246	309	12	16	1	3	0	129	1	106	126	12.9	5.4	9.7
Somers	9,050	2	0	6	92	103	1	3	0	2	0	51	0	45	48	11.4	5.6	10.3
Southington	39,690	4	0	201	374	455	11	50	5	5	1	282	3	258	295	11.5	7.1	13.9
South Windsor	22,710	2	0	45	207	313	15	16	2	3	0	88	0	151	170	13.8	3.9	14.1
Stafford	10,790	0	0	131	83	184	9	24	0	2	0	82	0	97	90	17.1	7.6	17.3
Suffield	11,150	0	0	17	91	145	4	15	1	0	0	95	1	64	68	13.0	8.5	11.8
Tolland	11,310	0	0	11	82	160	1	13	0	0	0	53	0	69	76	14.1	4.7	12.8
Vernon	30,620	709	6	326	216	468	28	104	17	4	0	231	2	279	280	15.3	7.5	18.3
West Hartford	61,390	5	0	359	434	566	35	73	18	6	0	704	7	305	376	9.2	11.5	11.1
Wethersfield	27,670	0	0	115	206	251	12	22	2	0	0	312	0	142	176	9.1	11.3	11.5
Windsor	28,110	1	0	211	203	386	66	56	23	3	3	226	16	183	175	13.7	8.0	12.7
Windsor Locks	13,030	1	0	38	113	165	7	21	2	0	0	112	0	101	119	12.7	8.6	16.9
HSA V, Northwestern	543,030	7,046	48	4,497	4,543	7,761	618	1,492	374	57	10	4,606	170	3,981	4,107	14.3	8.5	14.9
Barkhamsted	3,160	0	0	4	33	29	0	2	0	0	0	24	0	17	28	9.2	7.6	14.2
Beacon Falls	4,650	0	0	7	27	69	2	10	2	0	0	35	0	38	42	14.8	7.5	17.2
Bethel	17,740	3	0	26	95	240	6	24	1	6	0	104	2	94	108	13.5	5.9	11.4
Bethlehem	2,960	1	0	9	29	39	1	4	0	0	0	22	1	28	20	13.2	7.4	16.2
Bridgewater	1,620	0	0	2	12	15	0	2	0	0	0	16	0	8	10	9.3	9.9	11.1
Brookfield	15,010	2	0	25	136	189	5	11	1	0	0	83	1	76	104	12.6	5.5	12.0
Canaan	1,060	0	0	1	3	20	1	1	0	1	0	16	0	9	9	18.9	15.1	17.0
Cheshire	25,890	1	0	124	168	301	6	23	2	2	0	193	2	130	155	11.6	7.5	11.0

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1988

	Population estimated as of July 1, 1988	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Colwen Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA V, Northwestern Cont'd.																		
Colebrook	1,330	0	0	1	8	7	0	0	0	0	0	10	0	5	8	5.3	7.5	9.8
Cornwall	1,410	0	0	1	18	9	0	0	0	0	0	18	1	12	10	6.4	12.8	15.6
Danbury	69,980	2,472	24	855	619	1,100	142	225	74	6	3	487	18	618	597	15.7	7.0	17.4
Goshen	2,380	1	0	3	36	34	0	1	0	0	0	12	0	10	9	14.3	5.0	8.0
Harwinton	5,290	0	0	9	35	59	1	7	0	0	0	25	0	34	36	11.2	4.7	13.2
Kent	2,900	0	0	9	41	32	2	5	1	0	0	26	1	21	19	11.0	9.0	13.8
Litchfield	8,330	2	0	13	108	98	3	14	1	2	0	72	1	50	56	11.8	8.6	12.7
Middlebury	6,350	0	0	26	52	64	0	8	0	0	0	51	0	35	36	10.1	8.0	11.2
Morris	2,010	1	0	3	15	29	0	2	0	0	0	18	0	13	14	14.4	9.0	13.4
Naugatuck	29,790	0	0	76	187	541	15	72	3	1	0	260	3	255	250	18.2	8.7	17.0
New Fairfield	12,410	1	0	10	69	157	3	22	1	0	0	51	0	56	64	12.7	4.1	9.7
New Hartford	5,570	0	0	11	50	82	0	8	0	2	0	40	0	39	35	14.7	7.2	13.3
New Milford	22,590	429	0	225	161	378	9	36	[illegible]	2	0	140	0	198	190	16.7	6.2	17.2
Newtown	20,620	1	0	66	150	257	3	17	1	4	0	127	1	101	114	12.5	6.2	10.4
Norfolk	2,250	0	0	7	40	45	0	4	0	0	0	23	1	16	16	20.0	10.2	14.2
North Canaan	3,410	0	0	41	19	23	0	0	0	1	0	38	1	13	12	6.7	11.1	7.3
Prospect	7,880	0	0	43	60	88	1	8	1	0	0	55	1	42	46	11.2	7.0	11.2
Redding	8,130	2	0	3	92	86	2	6	0	1	0	30	1	30	36	10.6	3.7	8.1
Ridgefield	22,110	1	0	29	249	244	6	20	0	4	0	108	0	95	131	11.0	4.9	10.2
Roxbury	1,810	0	0	1	13	20	0	0	0	0	0	13	0	11	8	11.0	7.2	10.5
Salisbury	4,160	2	0	32	39	50	2	7	0	0	0	57	1	13	16	12.0	13.7	7.0
Sharon	2,900	441	3	156	31	30	0	5	0	0	0	33	1	12	12	10.3	11.4	8.3
Sherman	[illegible]710	0	0	2	32	35	1	1	0	0	0	10	0	14	18	12.9	3.7	11.8

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1988

	Population estimated as of July 1, 1988	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA V Northwestern Cont'd																		
Southbury	15,430	0	0	99	97	154	1	17	0	1	0	221	0	66	72	10.0	14.3	8.9
Thomaston	6,870	0	0	10	24	96	1	14	0	0	0	50	0	43	46	14.0	7.3	13.0
Torrington	33,040	730	3	471	268	[illegible]	15	85	4	2	0	391	8	286	304	14.5	11.8	17.9
Warren	1,230	0	0	4	28	9	0	3	0	0	0	11	0	11	11	7.3	8.9	17.9
Washington	4,080	0	0	12	63	46	0	6	0	0	0	39	0	34	30	11.3	9.6	15.7
Waterbury	109,580	2,952	18	1,814	933	1,946	379	738	280	16	7	1,262	122	1,025	999	17.8	11.5	18.5
Watertown	20,550	2	0	64	191	251	3	36	0	3	0	151	3	141	137	12.2	7.3	13.5
Winchester	11,510	2	0	142	110	169	3	23	0	1	0	132	0	112	105	14.7	11.5	18.9
Wolcott	14,550	0	0	45	132	152	4	17	1	1	0	92	0	96	114	10.4	6.3	14.4
Woodbury	7,780	0	0	16	70	88	1	8	1	1	0	60	0	74	80	11.3	7.7	19.8
Unknown										1				1				
Out-of-State*		1,182		950		1,292				25	6	1,164		3,590	2,633			

*"Out-of-State" figures in columns 2 and 4 refer to events experienced by Connecticut residents, which occurred out-of-state. "Out-of-State" figures in columns 6-15 reflect events experienced by out-of-state residents, which occurred in Connecticut.

TABLE 3A: LIVE BIRTHS TO CONNECTICUT RESIDENTS BY RACE OF CHILD AND MATERNAL AGE, 1988

	ALL RACES											NONWHITE									
	AGE OF MOTHER											AGE OF MOTHER									
	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN
TOTAL	48,083	88	4,034	10,042	16,238	12,832	4,221	552	17	1	58	7,120	39	1,411	2,243	1,884	1,131	358	48	3	1	2
MALE	24,640	44	2,093	5,183	8,277	6,556	2,152	302	7	1	25	3,623	20	717	1,144	960	564	193	21	2	1	1
FEMALE	23,443	44	1,941	4,859	7,961	6,276	2,069	250	10	-	33	3,497	19	694	1,099	924	567	165	27	1	-	1
PLACE OF DELIVERY																						
HOSPITAL	47,879	87	4,017	10,015	16,175	12,769	4,193	547	17	1	58	7,085	39	1,404	2,235	1,874	1,122	357	48	3	1	2
HOME	178	1	15	22	52	58	26	4	-	-	-	30	-	7	4	9	9	1	-	-	-	-
OTHER	19	-	2	4	8	2	2	1	-	-	-	4	-	-	3	1	-	-	-	-	-	-
UNKNOWN	7	-	-	1	3	3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
MARITAL STATUS																						
MOTHER MARRIED	36,513	2	886	6,053	13,910	11,469	3,705	464	14	1	9	2,864	1	136	703	1,022	714	252	33	2	1	-
MOTHER UNMARRIED	11,465	86	3,144	3,973	2,298	1,329	497	87	2	-	49	4,248	38	1,274	1,539	860	414	105	15	1	-	2
UNKNOWN	105	-	4	16	30	34	19	1	1	-	-	8	-	1	1	2	3	1	-	-	-	-
WEIGHT AT BIRTH																						
1000 GRAMS OR LESS	319	1	41	87	85	66	24	5	-	-	10	100	-	14	48	21	12	5	-	-	-	-
1001-1500 GRAMS	313	1	38	77	103	59	27	7	-	-	1	85	-	21	27	24	7	4	2	-	-	-
1501-2000 GRAMS	587	3	78	126	175	151	47	6	-	-	1	164	2	40	45	46	26	5	-	-	-	-
2001-2499 GRAMS	2,014	13	269	458	610	474	151	29	3	-	7	547	8	109	172	137	89	26	5	-	-	1
2500-3000 GRAMS	7,480	28	887	1,832	2,360	1,728	574	59	1	-	11	1,663	13	368	537	434	238	64	8	-	-	1
3001-3500 GRAMS	16,972	20	1,538	3,636	5,790	4,420	1,361	183	3	1	20	2,637	10	538	848	680	411	129	19	1	1	-
3501-4000 GRAMS	14,542	17	933	2,830	5,104	4,106	1,371	169	7	-	5	1,473	4	260	443	401	267	85	12	1	-	-
4001-4500 GRAMS	4,607	3	210	807	1,637	1,393	499	57	1	-	-	375	2	49	102	122	61	37	2	-	-	-
4501 GRAMS AND OVER	937	2	31	167	300	313	100	22	1	-	1	66	-	10	17	16	19	3	-	1	-	-
UNKNOWN	312	-	9	22	74	122	67	15	1	-	2	10	-	2	4	3	1	-	-	-	-	-
PLURAL BIRTHS																						
SINGLE	46,968	88	3,976	9,873	15,857	12,476	4,087	541	17	1	52	6,950	39	1,385	2,185	1,836	1,104	347	48	3	1	2
TWINS	1,074	-	58	168	366	340	128	9	-	-	5	170	-	26	58	48	27	11	-	-	-	-
TRIPLETS	32	-	-	-	12	12	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QUADRUPLETS	7	-	-	-	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

- NO BIRTHS REPORTED

NOTE: FIGURES FOR WHITE, BLACK, OTHER RACES, AND UNKNOWN RACE SUM TO THE TOTAL NUMBER OF BIRTHS. THE NONWHITE CATEGORY INCLUDES BLACK AND OTHER RACES, BUT EXCLUDES BIRTHS OF UNKNOWN RACE.

TABLE 3B: LIVE BIRTHS TO CONNECTICUT RESIDENTS BY RACE OF CHILD AND MATERNAL AGE, 1988

	WHITE											BLACK									
	AGE OF MOTHER																				
	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN
TOTAL	39,367	39	2,272	7,345	13,995	11,469	3,749	476	13	-	9	6,160	39	1,348	2,033	1,573	868	265	29	3	-	2
MALE	20,209	19	1,194	3,802	7,137	5,877	1,906	265	5	-	4	3,124	20	683	1,031	799	436	138	14	2	-	1
FEMALE	19,158	20	1,078	3,543	6,858	5,592	1,843	211	8	-	5	3,036	19	665	1,002	774	432	127	15	1	-	1
PLACE OF DELIVERY																						
HOSPITAL	39,203	38	2,262	7,327	13,942	11,417	3,723	472	13	-	9	6,134	39	1,343	2,027	1,565	862	264	29	3	-	2
HOME	145	1	8	17	43	48	24	4	-	-	-	22	-	5	3	7	6	1	-	-	-	-
OTHER	14	-	2	1	7	2	2	-	-	-	-	4	-	-	3	1	-	-	-	-	-	-
UNKNOWN	5	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MARITAL STATUS																						
MOTHER MARRIED	32,969	1	698	5,198	12,689	10,598	3,361	405	11	-	8	2,119	1	115	557	759	493	174	18	2	-	-
MOTHER UNMARRIED	6,304	38	1,571	2,133	1,279	841	370	70	1	-	1	4,036	38	1,232	1,476	812	374	90	11	1	-	2
UNKNOWN	94	-	3	14	27	30	18	1	1	-	-	5	-	1	-	2	1	1	-	-	-	-
WEIGHT AT BIRTH																						
1000 GRAMS OR LESS	192	1	21	33	61	53	19	3	-	-	1	96	-	14	46	20	12	4	-	-	-	-
1001-1500 GRAMS	219	1	16	47	79	48	23	5	-	-	-	79	-	21	27	20	7	2	2	-	-	-
1501-2000 GRAMS	394	1	28	73	123	124	39	6	-	-	-	149	2	37	41	42	23	4	-	-	-	-
2001-2499 GRAMS	1,391	5	138	266	457	378	120	24	3	-	-	501	6	104	157	127	77	23	4	-	-	1
2500-3000 GRAMS	5,507	11	426	1,187	1,861	1,470	501	50	1	-	-	1,459	13	354	496	354	186	50	5	-	-	1
3001-3500 GRAMS	13,798	6	867	2,608	4,986	3,957	1,208	159	2	-	5	2,249	10	513	759	562	303	89	12	1	-	-
3501-4000 GRAMS	12,770	11	603	2,286	4,627	3,806	1,275	154	6	-	2	1,238	4	247	396	329	196	59	6	1	-	-
4001-4500 GRAMS	4,167	1	149	687	1,493	1,323	460	53	1	-	-	320	2	47	93	101	46	31	-	-	-	-
4501 GRAMS AND OVER	863	2	20	148	284	291	96	22	-	-	-	59	-	9	14	15	17	3	-	1	-	-
UNKNOWN	66	-	4	10	24	19	8	-	-	-	1	10	-	2	4	3	1	-	-	-	-	-
PLURAL BIRTHS																						
SINGLE	38,468	39	2,243	7,241	13,666	11,154	3,639	465	13	-	8	5,998	39	1,324	1,977	1,529	841	254	29	3	-	2
TWINS	862	-	29	103	314	299	107	9	-	-	1	162	-	24	56	44	27	11	-	-	-	-
TRIPLETS	29	-	-	-	12	12	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QUADRUPLETS	7	-	-	-	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO BIRTHS REPORTED

TABLE 3B: LIVE BIRTHS TO CONNECTICUT RESIDENTS BY RACE OF CHILD AND MATERNAL AGE, 1988

	OTHER RACES											UNKNOWN RACE									
	AGE OF MOTHER																				
	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN
TOTAL	960	-	63	210	311	263	93	19	-	1	-	1,596	10	351	454	359	232	114	28	1	-	47
MALE	499	-	34	113	161	128	55	7	-	1	-	808	5	182	237	180	115	53	16	-	-	20
FEMALE	461	-	29	97	150	135	38	12	-	-	-	788	5	169	217	179	117	61	12	1	-	27
PLACE OF DELIVERY																						
HOSPITAL	951	-	61	208	309	260	93	19	-	1	-	1,591	10	351	453	359	230	113	27	1	-	47
HOME	8	-	2	1	2	3	-	-	-	-	-	3	-	-	1	-	1	1	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
UNKNOWN	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
MARITAL STATUS																						
MOTHER MARRIED	745	-	21	146	263	221	78	15	-	1	-	680	-	52	152	199	157	92	26	1	-	1
MOTHER UNMARRIED	212	-	42	63	48	40	15	4	-	-	-	913	10	299	301	159	74	22	2	-	-	46
UNKNOWN	3	-	-	1	-	2	-	-	-	-	-	3	-	-	1	1	1	-	-	-	-	-
WEIGHT AT BIRTH																						
1000 GRAMS OR LESS	4	-	-	2	1	-	1	-	-	-	-	27	-	6	6	3	1	-	2	-	-	9
1001-1500 GRAMS	6	-	-	-	4	-	2	-	-	-	-	9	-	1	3	-	4	-	-	-	-	1
1501-2000 GRAMS	15	-	3	4	4	3	1	-	-	-	-	29	-	10	8	6	1	3	-	-	-	1
2001-2499 GRAMS	46	-	5	15	10	12	3	1	-	-	-	76	-	22	20	16	7	5	-	-	-	6
2500-3000 GRAMS	204	-	14	41	80	52	14	3	-	-	-	310	4	93	108	65	20	9	1	-	-	10
3001-3500 GRAMS	388	-	25	89	118	108	40	7	-	1	-	537	4	133	180	124	52	24	5	-	-	15
3501-4000 GRAMS	235	-	13	47	72	71	26	6	-	-	-	299	2	70	101	76	33	11	3	-	-	3
4001-4500 GRAMS	55	-	2	9	21	15	6	2	-	-	-	65	-	12	18	22	9	2	2	-	-	-
4501 GRAMS AND OVER	7	-	1	3	1	2	-	-	-	-	-	8	-	1	2	-	3	1	-	-	-	1
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	236	-	3	8	47	102	59	15	1	-	1
PLURAL BIRTHS																						
SINGLE	952	-	61	208	307	263	93	19	-	1	-	1,550	10	348	447	355	218	101	28	1	-	42
TWINS	8	-	2	2	4	-	-	-	-	-	-	42	-	3	7	4	14	10	-	-	-	4
TRIPLETS	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	3	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1

- NO BIRTHS REPORTED

TABLE 3C: LIVE BIRTHS TO MOTHERS OF SPANISH ORIGIN BY RACE OF CHILD AND MATERNAL AGE, CONNECTICUT RESIDENTS, 1988

	ALL RACES											NONWHITE									
	AGE OF MOTHER																				
	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN
TOTAL	4,339	31	1,030	1,587	1,034	467	164	24	1	-	1	300	1	86	114	65	30	3	1	-	-	-
MALE	2,248	12	535	824	519	255	89	13	1	-	-	157	-	46	66	30	14	1	-	-	-	-
FEMALE	2,091	19	495	763	515	212	75	11	-	-	1	143	1	40	48	35	16	2	1	-	-	-
PLACE OF DELIVERY																						
HOSPITAL	4,330	31	1,028	1,584	1,032	465	164	24	1	-	1	299	1	86	114	64	30	3	1	-	-	-
HOME	7	-	1	3	2	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
OTHER	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MARITAL STATUS																						
MOTHER MARRIED	1,870	1	223	653	575	295	107	14	1	-	1	119	-	19	41	35	21	2	1	-	-	-
MOTHER UNMARRIED	2,461	30	806	931	457	171	56	10	-	-	-	179	1	67	72	30	9	-	-	-	-	-
UNKNOWN	8	-	1	3	2	1	1	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-
WEIGHT AT BIRTH																						
1000 GRAMS OR LESS	46	1	9	18	13	4	-	1	-	-	-	3	-	-	2	1	-	-	-	-	-	-
1001-1500 GRAMS	34	1	10	9	5	8	1	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-
1501-2000 GRAMS	74	-	17	30	20	3	3	1	-	-	-	9	-	1	2	6	-	-	-	-	-	-
2001-2499 GRAMS	239	4	74	73	57	23	6	2	-	-	-	21	1	4	6	5	5	-	-	-	-	-
2500-3000 GRAMS	899	10	257	351	180	72	26	3	-	-	-	57	-	21	19	10	6	1	-	-	-	-
3001-3500 GRAMS	1,696	7	414	637	400	166	60	11	-	-	1	129	-	35	57	27	9	-	1	-	-	-
3501-4000 GRAMS	1,041	6	207	360	268	143	51	5	1	-	-	64	-	22	24	11	5	2	-	-	-	-
4001-4500 GRAMS	254	-	34	90	79	36	15	-	-	-	-	11	-	2	3	4	2	-	-	-	-	-
4501 GRAMS AND OVER	49	2	6	15	11	12	2	1	-	-	-	4	-	1	1	-	2	-	-	-	-	-
UNKNOWN	7	-	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLURAL BIRTHS																						
SINGLE	4,267	31	1,016	1,564	1,017	457	156	24	1	-	1	294	1	84	114	62	29	3	1	-	-	-
TWINS	69	-	14	23	14	10	8	-	-	-	-	6	-	2	-	3	1	-	-	-	-	-
QUADRUPLETS	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO BIRTHS REPORTED

NOTE: FIGURES FOR WHITE, BLACK, OTHER RACES, AND UNKNOWN RACE SUM TO THE TOTAL NUMBER OF BIRTHS. THE NONWHITE CATEGORY INCLUDES BLACK AND OTHER RACES, BUT EXCLUDES BIRTHS OF UNKNOWN RACE.

NOTE: THIS TABLE INCLUDES FIGURES FOR THE 9.0% OF BIRTH RECORDS WHERE THE MOTHER IS INDICATED AS BEING OF SPANISH ORIGIN. THE BALANCE OF RECORDS INCLUDES 75.7% WHERE THE MOTHER IS NOT OF SPANISH ORIGIN AND 15.3% WHERE THE SPANISH ORIGIN OF THE MOTHER IS UNKNOWN.

TABLE 3D: LIVE BIRTHS TO MOTHERS OF SPANISH ORIGIN BY RACE OF CHILD AND MATERNAL AGE, CONNECTICUT RESIDENTS, 1988

	WHITE											BLACK									
	AGE OF MOTHER																				
	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN
TOTAL	3,078	25	658	1,104	764	374	134	17	1	-	1	251	1	78	95	54	21	2	-	-	-	-
MALE	1,604	10	340	570	388	207	77	11	1	-	-	128	-	41	53	23	10	1	-	-	-	-
FEMALE	1,474	15	318	534	376	167	57	6	-	-	1	123	1	37	42	31	11	1	-	-	-	-
PLACE OF DELIVERY																						
HOSPITAL	3,071	25	656	1,101	763	373	134	17	1	-	1	251	1	78	95	54	21	2	-	-	-	-
HOME	6	-	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MARITAL STATUS																						
MOTHER MARRIED	1,440	1	163	481	447	249	89	8	1	-	1	89	-	16	30	26	16	1	-	-	-	-
MOTHER UNMARRIED	1,634	24	494	622	315	125	45	9	-	-	-	161	1	62	65	28	5	-	-	-	-	-
UNKNOWN	4	-	1	1	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
WEIGHT AT BIRTH																						
1000 GRAMS OR LESS	36	1	7	12	12	4	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-
1001-1500 GRAMS	27	1	9	6	4	6	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
1501-2000 GRAMS	47	-	9	23	9	3	2	1	-	-	-	7	-	1	2	4	-	-	-	-	-	-
2001-2499 GRAMS	167	3	52	49	43	14	4	2	-	-	-	20	1	4	6	5	4	-	-	-	-	-
2500-3000 GRAMS	616	7	152	244	132	59	20	2	-	-	-	50	-	20	15	8	6	1	-	-	-	-
3001-3500 GRAMS	1,191	6	273	432	287	134	50	8	-	-	1	107	-	33	45	23	6	-	-	-	-	-
3501-4000 GRAMS	752	5	126	254	206	115	42	3	1	-	-	51	-	17	22	9	2	1	-	-	-	-
4001-4500 GRAMS	199	-	25	70	59	31	14	-	-	-	-	8	-	2	2	4	-	-	-	-	-	-
4501 GRAMS AND OVER	39	2	4	12	11	8	1	1	-	-	-	4	-	1	1	-	2	-	-	-	-	-
UNKNOWN	4	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLURAL BIRTHS																						
SINGLE	3,028	25	649	1,087	752	366	130	17	1	-	1	245	1	76	95	51	20	2	-	-	-	-
TWINS	47	-	9	17	9	8	4	-	-	-	-	6	-	2	-	3	1	-	-	-	-	-
QUADRUPLETS	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO BIRTHS REPORTED

NOTE: THIS TABLE INCLUDES FIGURES FOR THE 9.0% OF BIRTH RECORDS WHERE THE MOTHER IS INDICATED AS BEING OF SPANISH ORIGIN. THE BALANCE OF RECORDS INCLUDES 75.7% WHERE THE MOTHER IS NOT OF SPANISH ORIGIN AND 15.3% WHERE THE SPANISH ORIGIN OF THE MOTHER IS UNKNOWN.

TABLE 3D: LIVE BIRTHS TO MOTHERS OF SPANISH ORIGIN BY RACE OF CHILD AND MATERNAL AGE, CONNECTICUT RESIDENTS, 1988

	OTHER RACES											UNKNOWN RACE									
	AGE OF MOTHER																				
	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN
TOTAL	49	-	8	19	11	9	1	1	-	-	-	961	5	286	369	205	63	27	6	-	-	-
MALE	29	-	5	13	7	4	-	-	-	-	-	487	2	149	188	101	34	11	2	-	-	-
FEMALE	20	-	3	6	4	5	1	1	-	-	-	474	3	137	181	104	29	16	4	-	-	-
PLACE OF DELIVERY																						
HOSPITAL	48	-	8	19	10	9	1	1	-	-	-	960	5	286	369	205	62	27	6	-	-	-
HOME	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
MARITAL STATUS																						
MOTHER MARRIED	30	-	3	11	9	5	1	1	-	-	-	311	-	41	131	93	25	16	5	-	-	-
MOTHER UNMARRIED	18	-	5	7	2	4	-	-	-	-	-	648	5	245	237	112	37	11	1	-	-	-
UNKNOWN	1	-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-
WEIGHT AT BIRTH																						
1000 GRAMS OR LESS	-	-	-	-	-	-	-	-	-	-	-	7	-	2	4	-	-	-	1	-	-	-
1001-1500 GRAMS	1	-	-	-	1	-	-	-	-	-	-	5	-	1	3	-	1	-	-	-	-	-
1501-2000 GRAMS	2	-	-	-	2	-	-	-	-	-	-	18	-	7	5	5	-	1	-	-	-	-
2001-2499 GRAMS	1	-	-	-	-	1	-	-	-	-	-	51	-	18	18	9	4	2	-	-	-	-
2500-3000 GRAMS	7	-	1	4	2	-	-	-	-	-	-	226	3	84	88	38	7	5	1	-	-	-
3001-3500 GRAMS	22	-	2	12	4	3	-	1	-	-	-	376	1	106	148	86	23	10	2	-	-	-
3501-4000 GRAMS	13	-	5	2	2	3	1	-	-	-	-	225	1	59	82	51	23	7	2	-	-	-
4001-4500 GRAMS	3	-	-	1	-	2	-	-	-	-	-	44	-	7	17	16	3	1	-	-	-	-
4501 GRAMS AND OVER	-	-	-	-	-	-	-	-	-	-	-	6	-	1	2	-	2	1	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	-	-	-	-	-	-	-
PLURAL BIRTHS																						
SINGLE	49	-	8	19	11	9	1	1	-	-	-	945	5	283	363	203	62	23	6	-	-	-
TWINS	-	-	-	-	-	-	-	-	-	-	-	16	-	3	6	2	1	4	-	-	-	-

- NO BIRTHS REPORTED

NOTE: THIS TABLE INCLUDES FIGURES FOR THE 9.0% OF BIRTH RECORDS WHERE THE MOTHER IS INDICATED AS BEING OF SPANISH ORIGIN. THE BALANCE OF RECORDS INCLUDES 75.7% WHERE THE MOTHER IS NOT OF SPANISH ORIGIN AND 15.3% WHERE THE SPANISH ORIGIN OF THE MOTHER IS UNKNOWN.

1988 Registration Report Addendum - These pages replace Table 4 given on pages 22-35

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHT AND MATERNAL AGE, 1988

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	LESS THAN 2500 GRAMS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
CONNECTICUT																
ALL RACES	48,083	3,233	312	88	219	495	821	1,078	1,421	10042	16238	12832	4,221	552	18	58
NONWHITE	7,120	896	10	39	96	208	312	358	437	2,243	1,884	1,131	358	48	4	2
HSA 1 SOUTHWESTERN																
ALL RACES	9,158	613	194	28	57	102	173	210	272	1,688	2,692	2,735	1,020	166	7	8
NONWHITE	1,989	229	1	12	34	58	85	95	120	621	511	328	111	11	3	-
BRIDGEPORT																
ALL RACES	2,913	265	5	19	41	71	104	130	168	914	846	476	118	24	2	-
NONWHITE	1,022	128	1	5	22	33	52	55	72	336	253	145	41	6	2	-
DARIEN																
ALL RACES	251	11	17	-	-	-	-	-	-	7	61	119	54	10	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
EASTON																
ALL RACES	61	3	1	-	-	-	-	-	2	1	17	24	15	2	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FAIRFIELD																
ALL RACES	604	33	10	-	-	-	5	3	2	47	176	259	95	15	-	2
NONWHITE	14	1	-	-	-	-	-	-	1	3	3	6	1	-	-	-
GREENWICH																
ALL RACES	625	14	60	-	-	-	2	6	4	38	166	259	128	22	-	-
NONWHITE	30	1	-	-	-	-	-	2	2	6	9	4	5	2	-	-
MONROE																
ALL RACES	206	12	1	-	-	-	2	1	1	14	78	79	28	3	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
NEW CANAAN																
ALL RACES	157	2	6	-	-	-	-	2	1	8	30	65	44	6	1	-
NONWHITE	4	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-
NORWALK																
ALL RACES	1,234	89	15	5	6	7	23	24	34	221	390	382	127	12	1	2
NONWHITE	333	35	-	3	4	7	12	12	18	107	95	54	20	1	-	-
STAMFORD																
ALL RACES	1,696	110	42	3	8	15	27	33	37	303	539	506	190	30	3	2
NONWHITE	487	55	-	3	7	13	18	21	20	149	129	93	31	2	1	-
STRATFORD																
ALL RACES	566	35	1	1	2	6	8	9	15	98	186	197	38	6	-	-
NONWHITE	63	7	-	1	1	4	3	4	6	15	12	11	6	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHT AND MATERNAL AGE, 1988-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	LESS THAN 2500 GRAMS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TRUMBULL																
ALL RACES	330	18	2	-	-	2	-	1	3	25	100	140	54	5	-	-
NONWHITE	16	2	-	-	-	1	-	-	-	2	4	7	2	-	-	-
WESTON																
ALL RACES	91	2	7	-	-	-	-	-	-	2	19	47	16	6	-	1
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WESTPORT																
ALL RACES	249	9	20	-	-	1	1	1	3	9	46	107	64	16	-	1
NONWHITE	6	-	-	-	-	-	-	-	1	2	-	1	2	-	-	-
WILTON																
ALL RACES	175	10	7	-	-	-	1	-	2	1	38	75	49	9	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-
HSA 2 SOUTH CENTRAL																
ALL RACES	9,258	693	20	15	49	104	166	200	273	1,929	3,150	2,411	813	102	2	44
NONWHITE	1,689	247	2	9	27	58	81	95	107	532	438	256	73	11	-	2
ANSONIA																
ALL RACES	318	26	1	-	2	4	3	7	10	87	119	70	13	3	-	-
NONWHITE	39	2	-	-	1	2	1	4	6	10	8	6	1	-	-	-
BETHANY																
ALL RACES	61	3	-	-	-	-	1	-	-	5	22	22	11	-	-	-
NONWHITE	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
BRANFORD																
ALL RACES	323	21	1	-	-	2	3	-	4	32	127	107	44	2	-	2
NONWHITE	7	1	-	-	-	-	-	-	-	-	3	2	2	-	-	-
DERBY																
ALL RACES	172	9	1	-	-	1	3	3	6	52	50	45	12	-	-	-
NONWHITE	5	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-
EAST HAVEN																
ALL RACES	442	18	-	-	-	-	4	5	7	90	183	115	34	2	-	2
NONWHITE	10	2	-	-	-	-	-	-	-	-	5	4	1	-	-	-
GUILFORD																
ALL RACES	241	17	-	-	-	1	2	-	1	17	74	80	56	7	1	2
NONWHITE	5	1	-	-	-	-	-	-	-	-	2	1	2	-	-	-
HAMDEN																
ALL RACES	641	27	2	-	2	2	1	7	10	93	217	213	78	13	-	5
NONWHITE	90	8	-	-	1	1	1	6	5	31	16	18	9	2	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHT AND MATERNAL AGE, 1988-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	LESS THAN 2500 GRAMS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
MADISON																
ALL RACES	133	10	-	-	-	1	-	-	4	17	30	58	18	5	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
MERIDEN																
ALL RACES	1,028	81	1	2	9	10	29	23	25	275	354	225	69	6	1	-
NONWHITE	76	9	-	1	3	3	5	4	3	32	14	8	1	2	-	-
MILFORD																
ALL RACES	664	36	2	-	-	2	1	8	15	93	225	247	61	12	-	-
NONWHITE	21	-	-	-	-	-	-	1	2	4	4	6	4	-	-	-
NEW HAVEN																
ALL RACES	2,521	298	4	11	34	69	94	120	137	731	701	432	139	24	-	29
NONWHITE	1,226	202	1	7	21	49	65	71	84	401	315	168	38	5	-	2
NORTH BRANFORD																
ALL RACES	185	10	2	-	-	-	-	2	1	14	72	68	26	2	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
NORTH HAVEN																
ALL RACES	224	15	-	-	-	1	1	1	6	22	86	77	28	1	-	1
NONWHITE	14	3	-	-	-	-	1	-	1	3	1	5	3	-	-	-
ORANGE																
ALL RACES	115	3	1	-	-	-	-	-	1	5	32	53	22	2	-	-
NONWHITE	6	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-
OXFORD																
ALL RACES	111	5	-	-	-	-	-	-	1	9	45	45	9	2	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
SEYMOUR																
ALL RACES	204	10	1	-	-	1	-	4	3	33	92	52	18	1	-	-
NONWHITE	4	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-
SHELTON																
ALL RACES	474	26	1	-	-	2	5	3	5	62	198	156	38	5	-	-
NONWHITE	9	1	-	-	-	1	1	-	-	-	2	4	1	-	-	-
WALLINGFORD																
ALL RACES	564	28	-	1	1	-	5	3	16	93	219	155	65	4	-	2
NONWHITE	15	1	-	-	-	-	1	-	1	4	6	3	-	-	-	-
WEST HAVEN																
ALL RACES	798	49	2	1	1	8	14	14	21	196	295	178	58	11	-	1
NONWHITE	152	17	1	1	1	2	5	9	4	44	55	21	8	2	-	-
WOODBRIDGE																
ALL RACES	39	1	1	-	-	-	-	-	-	3	9	13	14	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHT AND MATERNAL AGE, 1988-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	LESS THAN 2500 GRAMS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
HSA 3 EASTERN																
ALL RACES	8,098	481	25	9	13	59	119	190	258	1,944	2,934	1,918	581	68	1	4
NONWHITE	630	60	2	1	7	13	26	36	46	184	168	112	29	8	-	-
ASHFORD																
ALL RACES	54	5	-	-	-	-	1	-	-	9	22	15	7	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOZRAH																
ALL RACES	22	1	-	-	-	-	-	-	1	2	10	6	2	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
BROOKLYN																
ALL RACES	61	5	-	-	-	-	1	-	2	17	24	11	6	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTERBURY																
ALL RACES	60	2	-	-	-	-	1	3	-	12	20	19	5	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
CHAPLIN																
ALL RACES	27	2	-	-	-	-	-	-	1	4	12	7	2	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
CHESTER																
ALL RACES	45	1	-	-	-	-	-	-	2	6	22	11	3	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
CLINTON																
ALL RACES	216	8	1	-	-	-	2	1	3	39	87	59	24	1	-	-
NONWHITE	6	-	-	-	-	-	-	-	1	1	3	-	1	-	-	-
COLCHESTER																
ALL RACES	228	14	-	-	-	-	2	5	5	33	106	61	15	1	-	-
NONWHITE	7	-	-	-	-	-	-	-	1	-	2	3	1	-	-	-
COLUMBIA																
ALL RACES	72	6	-	-	-	-	-	-	1	9	20	30	10	2	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
COVENTRY																
ALL RACES	164	7	-	-	-	-	-	2	1	33	67	46	13	2	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
CROMWELL																
ALL RACES	167	12	-	-	-	-	-	1	1	19	65	67	13	1	-	-
NONWHITE	3	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHT AND MATERNAL AGE, 1988-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	LESS THAN 2500 GRAMS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
DEEP RIVER																
ALL RACES.....	48	3	-	-	-	-	1	-	2	8	9	20	7	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
DURHAM																
ALL RACES.....	85	4	-	-	-	-	1	2	-	10	22	40	7	3	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTFORD																
ALL RACES.....	13	1	1	-	-	-	1	-	1	2	5	3	1	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM																
ALL RACES.....	101	8	1	-	-	2	-	2	4	20	32	24	16	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
EAST HAMPTON																
ALL RACES.....	157	14	-	-	-	1	-	1	4	28	52	45	24	2	-	-
NONWHITE.....	8	-	-	-	-	-	-	-	1	1	1	3	1	1	-	-
EAST LYME																
ALL RACES.....	194	17	1	-	-	1	-	2	3	25	79	60	23	1	-	-
NONWHITE.....	4	1	-	-	-	-	-	-	-	-	1	3	-	-	-	-
ESSEX																
ALL RACES.....	60	4	-	-	-	-	1	1	3	5	17	24	9	-	-	-
NONWHITE.....	4	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-
FRANKLIN																
ALL RACES.....	24	2	-	-	-	-	-	1	-	8	7	8	-	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD																
ALL RACES.....	167	10	-	-	-	-	1	3	8	51	69	28	6	1	-	-
NONWHITE.....	5	2	-	-	-	-	-	-	-	1	2	2	-	-	-	-
GROTON																
ALL RACES.....	883	46	3	-	2	9	9	14	28	291	341	156	26	6	-	1
NONWHITE.....	87	7	1	-	1	1	2	1	7	32	27	14	1	1	-	-
HADDAM																
ALL RACES.....	76	-	1	-	-	1	2	-	1	7	27	26	11	1	-	-
NONWHITE.....	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
HAMPTON																
ALL RACES.....	12	-	-	-	-	-	-	-	-	1	3	4	4	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KILLINGLY																
ALL RACES.....	286	19	-	-	-	4	7	11	13	94	96	45	12	4	-	-
NONWHITE.....	10	1	-	-	-	-	1	1	-	2	4	1	1	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHT AND MATERNAL AGE, 1988-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	LESS THAN 2500 GRAMS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
KILLINGWORTH																
ALL RACES	57	1	-	-	-	-	1	-	-	2	21	26	7	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
LEBANON																
ALL RACES	97	6	-	-	-	-	-	4	3	9	37	35	7	2	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEDYARD																
ALL RACES	261	11	-	-	-	1	2	3	5	43	97	81	24	5	-	-
NONWHITE	8	1	-	-	-	-	-	-	1	5	2	-	-	-	-	-
LISBON																
ALL RACES	23	1	-	-	-	-	-	1	-	3	13	6	-	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
LYME																
ALL RACES	21	1	-	-	-	-	-	-	1	3	8	8	1	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
MANSFIELD																
ALL RACES	150	9	-	-	-	-	-	2	2	22	55	44	23	2	-	-
NONWHITE	23	1	-	-	-	-	-	-	-	1	11	10	1	-	-	-
MIDDLEFIELD																
ALL RACES	51	3	-	-	-	-	-	-	-	12	19	14	6	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLETOWN																
ALL RACES	620	43	4	1	3	6	11	18	24	159	222	139	33	3	-	1
NONWHITE	144	15	-	1	3	5	8	12	12	44	36	18	4	1	-	-
MONTVILLE																
ALL RACES	260	15	1	-	-	2	1	6	8	77	88	58	18	2	-	-
NONWHITE	14	2	-	-	-	-	-	-	4	4	1	3	1	1	-	-
NEW LONDON																
ALL RACES	547	42	2	3	-	8	20	28	39	188	157	76	28	-	-	-
NONWHITE	141	18	1	-	-	2	12	13	13	44	29	19	9	-	-	-
N STONINGTON																
ALL RACES	60	4	-	1	-	-	-	-	-	9	22	18	10	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NORWICH																
ALL RACES	681	36	-	2	2	11	21	29	33	217	227	100	31	7	1	-
NONWHITE	79	6	-	-	1	3	1	5	3	25	24	14	1	2	-	-
OLD LYME																
ALL RACES	80	5	4	1	-	1	-	2	2	18	21	23	11	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHT AND MATERNAL AGE, 1988-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	LESS THAN 2500 GRAMS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
OLD SAYBROOK																
ALL RACES	103	7	-	-	2	-	-	1	3	14	44	33	6	-	-	-
NONWHITE	6	-	-	-	1	-	-	-	-	2	2	1	-	-	-	-
PLAINFIELD																
ALL RACES	196	10	2	-	-	-	5	4	7	73	66	29	12	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
POMFRET																
ALL RACES	33	1	1	-	-	-	-	1	1	8	11	8	3	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND																
ALL RACES	119	13	-	-	-	-	3	4	1	13	50	34	12	2	-	-
NONWHITE	6	1	-	-	-	-	1	1	-	-	1	1	1	1	-	-
PRESTON																
ALL RACES	31	-	1	-	-	-	-	-	-	4	18	6	3	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
PUTNAM																
ALL RACES	133	11	-	-	1	-	1	3	10	36	45	24	6	1	-	-
NONWHITE	4	1	-	-	-	-	1	-	-	1	1	-	1	-	-	-
SALEM																
ALL RACES	47	7	-	-	-	-	-	-	-	4	17	20	5	1	-	-
NONWHITE	5	2	-	-	-	-	-	-	-	1	2	-	2	-	-	-
SCOTLAND																
ALL RACES	25	2	-	-	-	-	-	-	-	3	11	9	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE																
ALL RACES	46	2	-	-	-	1	-	5	-	17	16	6	1	-	-	-
NONWHITE	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
STERLING																
ALL RACES	30	1	-	-	-	-	3	1	1	11	10	3	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STONINGTON																
ALL RACES	225	5	-	-	1	1	-	4	3	39	91	61	22	1	-	2
NONWHITE	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
THOMPSON																
ALL RACES	127	6	1	-	-	1	2	2	2	29	52	32	7	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
UNION																
ALL RACES	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHT AND MATERNAL AGE, 1988-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	LESS THAN 2500 GRAMS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
VOLUNTOWN																
ALL RACES	38	1	-	-	-	-	-	2	1	11	12	9	3	-	-	-
NONWHITE	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
WATERFORD																
ALL RACES	205	15	1	-	-	-	1	5	3	29	80	63	22	2	-	-
NONWHITE	6	1	-	-	-	-	-	1	-	2	-	1	2	-	-	-
WESTBROOK																
ALL RACES	70	5	-	-	2	-	-	-	2	15	23	28	-	-	-	-
NONWHITE	3	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-
WILLINGTON																
ALL RACES	74	3	-	-	-	-	1	-	1	6	31	25	8	2	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-
WINDHAM																
ALL RACES	396	22	-	1	-	9	11	16	18	124	131	67	13	6	-	-
NONWHITE	20	1	-	-	-	1	-	-	1	7	7	4	-	-	-	-
WOODSTOCK																
ALL RACES	68	2	-	-	-	-	-	-	4	12	25	17	10	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
HSA 4 NORTH CENTRAL																
ALL RACES	13,808	955	31	27	67	168	255	322	402	2,961	4,729	3,666	1,082	126	3	-
NONWHITE	2,194	283	3	12	21	60	89	103	113	721	600	348	112	14	1	-
ANDOVER																
ALL RACES	56	2	-	-	-	-	-	-	-	6	22	16	11	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
AVON																
ALL RACES	141	5	-	-	-	-	1	-	1	9	34	71	23	2	-	-
NONWHITE	4	1	-	-	-	-	1	-	-	-	-	2	1	-	-	-
BERLIN																
ALL RACES	172	6	1	-	-	-	1	-	2	16	56	75	18	4	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-
BLOOMFIELD																
ALL RACES	214	13	-	-	-	1	3	5	5	36	69	73	21	1	-	-
NONWHITE	100	11	-	-	-	1	2	5	5	21	26	26	13	1	-	-
BOLTON																
ALL RACES	57	4	-	-	-	-	-	1	1	3	18	23	9	2	-	-
NONWHITE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHT AND MATERNAL AGE, 1988-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	LESS THAN 2500 GRAMS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
BRISTOL																
ALL RACES	879	51	3	-	1	2	12	19	19	201	367	211	44	2	1	-
NONWHITE	35	4	-	-	-	-	2	2	3	10	10	6	1	1	-	-
BURLINGTON																
ALL RACES	108	6	-	-	-	1	-	1	2	2	38	51	11	2	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTON																
ALL RACES	134	5	-	-	-	-	3	-	-	13	37	60	20	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
EAST GRANBY																
ALL RACES	63	3	1	-	-	-	-	-	-	6	27	23	6	1	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
EAST HARTFORD																
ALL RACES	689	44	-	-	2	8	6	10	12	166	301	141	42	1	-	-
NONWHITE	120	14	-	-	1	2	-	2	5	35	54	18	2	1	-	-
EAST WINDSOR																
ALL RACES	147	16	-	-	-	-	-	-	3	46	63	30	5	-	-	-
NONWHITE	9	3	-	-	-	-	-	-	-	4	2	3	-	-	-	-
ELLINGTON																
ALL RACES	166	5	-	-	-	2	-	1	3	34	81	33	11	1	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
ENFIELD																
ALL RACES	649	46	4	-	4	2	5	6	13	118	313	159	25	4	-	-
NONWHITE	26	2	-	-	1	-	-	1	1	6	10	6	1	-	-	-
FARMINGTON																
ALL RACES	238	10	1	-	-	1	-	1	-	18	69	112	33	4	-	-
NONWHITE	9	-	-	-	-	-	-	-	-	1	2	4	2	-	-	-
GLASTONBURY																
ALL RACES	303	21	1	-	-	1	2	3	3	19	93	120	53	9	-	-
NONWHITE	14	1	-		-	-	1	-	-	-	5	3	4	1	-	-
GRANBY																
ALL RACES	144	11	1	-	-	-	1	-	3	9	42	64	20	5	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
HARTFORD																
ALL RACES	3,115	372	11	21	39	116	154	158	187	1,113	796	381	137	13	-	-
NONWHITE	1,408	207	3	12	15	51	68	68	75	535	350	177	51	6	-	-
HARTLAND																
ALL RACES	29	6	-	-	-	-	-	1	1	2	8	16	1	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHT AND MATERNAL AGE, 1988-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	LESS THAN 2500 GRAMS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
HEBRON																
ALL RACES	137	7	-	-	-	-	-	4	2	20	46	51	13	1	-	-
NONWHITE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
MANCHESTER																
ALL RACES	738	46	1	-	1	5	9	13	18	154	281	199	48	10	-	-
NONWHITE	40	4	-	-	1	3	1	2	3	12	10	6	2	-	-	-
MARLBOROUGH																
ALL RACES	108	3	-	-	-	1	1	1	4	9	28	49	14	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
NEW BRITAIN																
ALL RACES	1,150	93	4	5	12	18	25	53	57	322	363	230	55	9	1	-
NONWHITE	170	21	-	-	3	3	7	14	12	41	63	20	6	1	-	-
NEWINGTON																
ALL RACES	285	12	-	-	-	-	-	1	-	38	109	108	28	1	-	-
NONWHITE	13	3	-	-	-	-	-	-	-	1	5	7	-	-	-	-
PLAINVILLE																
ALL RACES	215	9	-	-	-	-	1	3	9	35	94	60	12	1	-	-
NONWHITE	8	1	-	-	-	-	-	-	-	4	1	1	2	-	-	-
PLYMOUTH																
ALL RACES	170	7	-	-	1	1	1	2	3	44	67	43	8	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
ROCKY HILL																
ALL RACES	196	6	-	-	-	-	-	1	2	23	75	74	20	1	-	-
NONWHITE	11	1	-	-	-	-	-	1	-	3	4	3	-	-	-	-
SIMSBURY																
ALL RACES	309	10	-	-	-	1	-	1	2	17	97	132	52	6	1	-
NONWHITE	12	1	-	-	-	-	-	-	-	-	5	3	2	1	1	-
SOMERS																
ALL RACES	103	3	-	-	-	1	1	1	1	12	39	30	16	2	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
SOUTHINGTON																
ALL RACES	455	15	-	-	1	1	4	1	6	98	167	128	47	2	-	-
NONWHITE	11	-	-	-	-	-	-	-	1	5	3	1	1	-	-	-
SOUTH WINDSOR																
ALL RACES	313	6	2	-	-	1	-	3	3	29	109	129	33	6	-	-
NONWHITE	15	1	-	-	-	-	-	-	-	1	6	6	2	-	-	-
STAFFORD																
ALL RACES	184	11	-	-	1	1	2	5	4	47	65	46	13	-	-	-
NONWHITE	9	-	-	-	-	-	-	-	-	4	2	1	2	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHT AND MATERNAL AGE, 1988-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	LESS THAN 2500 GRAMS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
SUFFIELD																
ALL RACES	145	9	-	-	-	-	2	1	2	17	50	52	19	2	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-
TOLLAND																
ALL RACES	160	11	-	-	-	-	1	1	2	19	65	55	14	3	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
VERNON																
ALL RACES	468	17	-	-	1	3	10	10	17	108	181	111	25	2	-	-
NONWHITE	28	-	-	-	-	-	2	3	1	9	7	5	1	-	-	-
WEST HARTFORD																
ALL RACES	566	31	1	-	2	1	4	5	4	34	151	250	99	16	-	-
NONWHITE	35	2	-	-	-	-	2	2	2	4	3	14	6	2	-	-
WETHERSFIELD																
ALL RACES	251	9	-	-	-	-	1	3	2	30	83	98	28	6	-	-
NONWHITE	12	-	-	-	-	-	-	-	-	2	5	5	-	-	-	-
WINDSOR																
ALL RACES	386	15	-	1	2	-	4	4	6	60	152	120	35	2	-	-
NONWHITE	66	6	-	-	-	-	3	1	5	19	14	15	9	-	-	-
WINDSOR LOCKS																
ALL RACES	165	9	-	-	-	-	1	3	3	28	73	42	13	2	-	-
NONWHITE	7	-	-	-	-	-	-	-	-	2	5	-	-	-	-	-
HSA 5 NORTHWESTERN																
ALL RACES	7,761	491	42	9	33	62	108	156	216	1,520	2,733	2,102	725	90	5	2
NONWHITE	618	77	2	5	7	19	31	29	51	185	167	87	33	4	-	-
BARKHAMSTED																
ALL RACES	29	-	-	-	-	-	-	-	1	3	6	12	6	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BEACON FALLS																
ALL RACES	69	3	-	-	-	1	2	-	-	11	33	19	2	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
BETHEL																
ALL RACES	240	9	-	-	-	1	-	2	6	20	91	92	27	1	-	-
NONWHITE	6	-	-	-	-	1	-	-	-	-	4	1	-	-	-	-
BETHLEHEM																
ALL RACES	39	1	-	-	-	-	-	-	1	4	11	14	9	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHT AND MATERNAL AGE, 1988-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	LESS THAN 2500 GRAMS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
BRIDGEWATER																
ALL RACES	15	-		-	-	-	-	-	-	1	4	6	4	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD																
ALL RACES	189	10	1	-	-	-	-	2	2	16	72	70	25	2	-	-
NONWHITE	5	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-
CANAAN																
ALL RACES	20	2	-	-	-	-	-	1	-	5	9	3	2	-	-	-
NONWHITE	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CHESHIRE																
ALL RACES	301	9	1	-	-	1	1	3	3	18	114	123	37	1	-	-
NONWHITE	6	1	-	-	-	-	-	-	-	-	1	2	3	-	-	-
COLEBROOK																
ALL RACES	7	-	-	-	-	-	-	-	-	-	2	2	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL																
ALL RACES	9	-	-	-	-	-	-	-	-	-	1	4	4	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DANBURY																
ALL RACES	1,100	83	7	2	4	7	18	18	28	264	404	252	90	12	-	1
NONWHITE	142	18	1	2	1	3	5	2	12	49	40	22	3	3	-	-
GOSHEN																
ALL RACES	34	3	2	-	-	-	-	-	1	4	12	12	5	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HARWINTON																
ALL RACES	59	4	-	-	-	-	-	-	1	6	10	25	15	1	1	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
KENT																
ALL RACES	32	3	-	-	-	1	1	1	3	4	9	9	3	1	-	-
NONWHITE	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
LITCHFIELD																
ALL RACES	98	7	1	-	-	-	-	3	1	12	29	40	9	4	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
MIDDLEBURY																
ALL RACES	64	6	-	-	-	-	1	-	-	8	16	28	10	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MORRIS																
ALL RACES	29	-	-	-	-	-	1		-	2	10	11	4	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHT AND MATERNAL AGE, 1988-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	LESS THAN 2500 GRAMS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
NAUGATUCK																
ALL RACES	541	24	-	-	4	3	4	15	12	116	223	124	33	7	-	-
NONWHITE	15	1	-	-	-	-	-	1	-	2	5	5	1	1	-	-
NEW FAIRFIELD																
ALL RACES	157	8	2	-	-	-	1	1	1	13	59	57	22	2	-	1
NONWHITE	3	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-
NEW HARTFORD																
ALL RACES	82	9	-	-	-	-	2	2	-	10	25	29	13	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW MILFORD																
ALL RACES	378	13	2	-	-	2	3	1	1	62	144	114	49	1	1	-
NONWHITE	9	-	-	-	-	-	-	-	-	-	5	3	1	-	-	-
NEWTOWN																
ALL RACES	257	11	2	-	2	1	-	-	2	18	88	106	34	6	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-
NORFOLK																
ALL RACES	45	-	-	-	-	-	-	1	1	7	16	13	5	2	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN																
ALL RACES	23	1	-	-	-	-	-	-	-	6	8	7	1	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PROSPECT																
ALL RACES	88	6	-	-	-	-	-	3	-	15	26	33	9	2	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
REDDING																
ALL RACES	86	3	3	-	-	-	-	-	-	2	15	41	25	3	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
RIDGEFIELD																
ALL RACES	244	14	5	-	-	-	1	-	1	10	61	109	53	8	1	-
NONWHITE	6	1	-	-	-	-	-	-	-	1	-	2	3	-	-	-
ROXBURY																
ALL RACES	20	-	-	-	-	-	-	-	-	4	4	9	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY																
ALL RACES	50	5	1	-	1	-	-	1	-	6	15	16	10	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
SHARON																
ALL RACES	30	2	2	-	-	-	-	1	-	5	8	8	4	4	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHT AND MATERNAL AGE, 1988-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	LESS THAN 2500 GRAMS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
SHERMAN																
ALL RACES	35	2	1	-	-	-	-	-	-	1	14	15	5	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
SOUTHBURY																
ALL RACES	154	4	2	-	-	1	-	3	3	19	53	52	22	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THOMASTON																
ALL RACES	96	5	-	-	-	-	-	2	3	25	34	27	3	2	-	-
NONWHITE	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
TORRINGTON																
ALL RACES	480	36	1	-	-	3	3	12	17	115	182	110	32	5	1	-
NONWHITE	15	4	-	-	-	-	1	1	2	3	5	2	1	-	-	-
WARREN																
ALL RACES	9	1	1	-	-	-	-	1	-	-	2	4	-	2	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON																
ALL RACES	46	3	1	-	-	-	1	-	-	5	16	15	8	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERBURY																
ALL RACES	1,946	169	5	7	22	37	63	73	112	589	674	284	78	7	-	-
NONWHITE	379	49	1	3	6	15	23	25	36	125	97	36	13	-	-	-
WATERTOWN																
ALL RACES	251	16	-	-	-	-	3	4	7	36	90	89	22	-	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
WINCHESTER																
ALL RACES	169	10	1	-	-	1	1	3	4	40	59	49	9	2	1	-
NONWHITE	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
WOLCOTT																
ALL RACES	152	6	-	-	-	2	2	1	4	24	61	40	17	1	-	-
NONWHITE	4	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-
WOODBURY																
ALL RACES	88	3	1	-	-	1	-	2	1	14	23	29	13	5	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

- NO BIRTHS REPORTED

TABLE 5: FETAL DEATHS OCCURRING IN CONNECTICUT, 1988

	ALL RACES											NONWHITE									
	Age of Mother											Age of Mother									
Column Number	Total 1	Under 15 years 2	15-19 years 3	20-24 years 4	25-29 years 5	30-34 years 6	35-39 years 7	40-44 years 8	45-49 years 9	50 years and over 10	Unknown 11	Total 12	Under 15 years 13	15-19 years 14	20-24 years 15	25-29 years 16	30-34 years 17	35-39 years 18	40-44 years 19	45-49 years 20	50 yrs. and over 21	Unknown 22
Total	345	2	31	73	79	70	51	7	2	-	30	101	1	13	30	23	11	10	2	-	-	11
Sex:																						
Male	170	1	11	30	50	36	25	4	2	-	11	49	1	5	12	14	6	4	1	-	-	6
Female	168	1	20	40	29	32	26	2	-	-	18	50	-	8	18	9	3	6	1	-	-	5
Unknown	7	-	-	3	1	3	-	1	-	-	1	2	-	-	-	-	2	-	-	-	-	-
Place of delivery:																						
Hospitals	330	2	30	72	69	69	51	7	2	-	28	93	1	12	29	17	11	10	2	-	-	11
Other	6	-	1	-	5	-	-	-	-	-	-	6	-	1	-	5	-	-	-	-	-	-
Unknown	9	-	-	1	5	1	-	-	-	-	2	2	-	-	1	1	-	-	-	-	-	-
Period of gestation:																						
20-27 weeks	95	-	11	18	19	19	17	3	-	-	8	31	-	5	7	8	4	3	-	-	-	4
28-31 weeks	27	-	4	8	3	4	4	-	2	-	2	8	-	1	3	2	1	1	-	-	-	-
32-35 weeks	26	1	2	7	4	8	4	-	-	-	-	10	1	1	4	2	2	-	-	-	-	-
36 weeks	8	-	-	4	3	1	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
37-39 weeks	20	-	-	6	5	6	2	-	-	-	1	3	-	-	3	-	-	-	-	-	-	-
40 weeks or over	17	-	1	4	2	4	4	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
Unknown	152	1	13	26	43	28	20	4	-	-	17	46	-	6	11	11	4	5	2	-	-	7
Weight at birth:																						
1000 grams or less	147	-	16	32	29	31	21	5	2	-	11	55	-	8	15	11	8	4	2	-	-	7
1001-1500 grams	34	-	6	8	6	7	3	-	-	-	4	8	-	1	2	1	1	2	-	-	-	1
1501-2000 grams	21	-	2	2	6	3	6	-	-	-	2	7	-	2	1	3	-	-	-	-	-	1
2001-2499 grams	26	-	-	6	5	8	5	-	-	-	2	4	-	-	3	-	-	1	-	-	-	-
2500-3000 grams	27	1	-	6	9	7	2	-	-	-	2	5	1	-	3	1	-	-	-	-	-	-
3001-3500 grams	11	-	-	4	4	-	2	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
3501-4000 grams	13	-	2	1	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4001-4500 grams	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Over 4500 grams	6	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	58	1	5	13	13	9	9	1	-	-	7	21	-	2	5	7	2	3	-	-	-	2
Plural births:																						
Single	315	2	29	66	73	63	45	7	2	-	28	95	1	13	29	21	9	9	2	-	-	11
Twins	28	-	2	6	6	7	6	-	-	-	1	5	-	-	-	2	2	1	-	-	-	-
Triplets	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	2	-	-	1	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-

TABLE 5: FETAL DEATHS OCCURRING IN CONNECTICUT, 1988

	WHITE											BLACK									
	Age of Mother											Age of Mother									
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Total	228	1	18	41	56	57	39	4	2	-	10	95	1	13	29	21	11	7	2	-	-	11
Sex:																						
Male	112	-	6	17	36	28	19	2	2	-	2	46	1	5	12	13	6	2	1	-	-	6
Female	113	1	12	22	20	29	20	1	-	-	8	47	-	8	17	8	3	5	1	-	-	5
Unknown	3	-	-	2	-	-	-	1	-	-	-	2	-	-	-	-	2	-	-	-	-	-
Place of delivery:																						
Hospitals	224	1	18	41	52	57	39	4	2	-	10	87	1	12	28	15	11	7	2	-	-	11
Other	-	-	-	-	-	-	-	-	-	-	-	6	-	1	-	5	-	-	-	-	-	-
Unknown	4	-	-	-	4	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
Period of gestation:																						
20-27 weeks	60	-	6	11	11	15	14	2	-	-	1	29	-	5	7	8	4	1	-	-	-	4
28-31 weeks	17	-	3	4	1	3	3	-	2	-	1	8	-	1	3	2	1	1	-	-	-	-
32-35 weeks	14	-	1	3	2	5	3	-	-	-	-	10	1	1	4	2	2	-	-	-	-	-
36 weeks	6	-	-	2	3	1	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
37-39 weeks	17	-	-	3	5	6	2	-	-	-	1	3	-	-	3	-	-	-	-	-	-	-
40 weeks or over	15	-	1	4	2	4	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Unknown	99	1	7	14	32	23	14	2	-	-	6	43	-	5	10	9	4	5	2	-	-	7
Weight at birth:																						
1000 grams or less	90	-	8	17	18	23	17	3	2	-	2	52	-	8	14	10	8	3	2	-	-	7
1001-1500 grams	24	-	5	6	5	6	1	-	-	-	1	8	-	1	2	1	1	2	-	-	-	1
1501-2000 grams	13	-	-	1	3	3	5	-	-	-	1	7	-	2	1	3	-	-	-	-	-	1
2001-2499 grams	21	-	-	3	5	7	4	-	-	-	2	3	-	-	3	-	-	-	-	-	-	-
2500-3000 grams	20	-	-	3	8	6	2	-	-	-	1	5	1	-	3	1	-	-	-	-	-	-
3001-3500 grams	9	-	-	3	4	-	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
3501-4000 grams	13	-	2	1	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4001-4500 grams	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Over 4500 grams	5	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	32	1	3	7	6	7	5	-	-	-	3	19	-	2	5	6	2	2	-	-	-	2
Plural births:																						
Single	205	1	16	35	52	52	34	4	2	-	9	90	1	13	28	20	9	6	2	-	-	11
Twins	23	-	2	6	4	5	5	-	-	-	1	4	-	-	-	1	2	1	-	-	-	-
Triplets	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-

TABLE 5: FETAL DEATHS OCCURRING IN CONNECTICUT, 1988

	OTHER RACES											RACE UNKNOWN									
	Age of Mother											Age of Mother									
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Total	6	-	-	1	2	-	3	-	-	-	-	16	-	-	2	-	2	2	1	-	-	9
Sex:																						
Male	3	-	-	-	1	-	2	-	-	-	-	9	-	-	1	-	2	2	1	-	-	3
Female	3	-	-	1	1	-	1	-	-	-	-	5	-	-	-	-	-	-	-	-	-	5
Unknown	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1
Place of delivery:																						
Hospitals	6	-	-	1	2	-	3	-	-	-	-	13	-	-	2	-	1	2	1	-	-	7
Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	2
Period of gestation:																						
20-27 weeks	2	-	-	-	-	-	2	-	-	-	-	4	-	-	-	-	-	-	1	-	-	3
28-31 weeks	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1
32-35 weeks	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-
36 weeks	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37-39 weeks	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40 weeks or over	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Unknown	3	-	-	1	2	-	-	-	-	-	-	7	-	-	1	-	1	1	-	-	-	4
Weight at birth:																						
1000 grams or less	3	-	-	1	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2
1001-1500 grams	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2
1501-2000 grams	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
2001-2499 grams	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
2500-3000 grams	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1
3001-3500 grams	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
3501-4000 grams	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4001-4500 grams	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Over 4500 grams	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Unknown	2	-	-	-	1	-	1	-	-	-	-	5	-	-	1	-	-	1	1	-	-	2
Plural births:																						
Single	5	-	-	1	1	-	3	-	-	-	-	15	-	-	2	-	2	2	1	-	-	8
Twins	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Triplets	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1

NOTE: Figures for White, Black, Other Races, and Unknown Race sum to the total number of fetal deaths. Deaths where gestational age was reported as under 20 weeks were eliminated from this table.

TABLE 6: CAUSES OF FETAL DEATHS OCCURRING IN CONNECTICUT, 1988

ICD No.	Causes of Fetal Deaths (ICD Ninth Revision)	TOTAL
	Total, all causes	345
553	Other hernia of abdominal cavity without mention of obstruction or gangrene	1
740	Anencephalus and similar anomalies	6
741	Spina bifida	2
742	Other congenital anomalies of nervous system	1
746	Other congenital anomalies of heart	2
747	Other congenital anomalies of circulatory system	1
751	Other congenital anomalies of digestive system	1
753	Congenital anomalies of urinary system	3
756	Other congenital musculoskeletal anomalies	1
758	Chromosomal anomalies	11
759	Other and unspecified congenital anomalies	4
760	Fetus affected by maternal conditions which may be unrelated to present pregnancy	7
761	Fetus affected by maternal complications of pregnancy	30
762	Fetus affected by complications of placenta, cord and membranes.	108
763	Fetus or newborn affected by other complications of labor and delivery	1
765	Disorders relating to short gestation and unspecified low birthweight	35
768	Intrauterine hypoxia and birth asphyxia	17
771	Infections specific to the perinatal period	1
778	Conditions involving the integument and temperature regulation of fetus	7
779	Other and ill-defined conditions originating in the perinatal period	103
799	Other ill-defined and unknown causes of morbidity and mortality.	3

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1988

ICD 9TH REVISION	Total	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
TOTAL, ALL CAUSES	28,515	426	20	21	12	11	490	54	37	197	243	300	428	403	520	591	757	1,268	2,053	2,862	3,614	3,936	3,932	6,828	2
MALE	14,230	249	9	13	5	6	282	34	27	143	193	240	324	278	327	373	455	761	1,249	1,723	2,036	2,008	1,706	2,069	2
FEMALE	14,285	177	11	8	7	5	208	20	10	54	50	60	104	125	193	218	302	507	804	1,139	1,578	1,928	2,226	4,759	
7-9 CERTAIN OTHER INTESTINAL INFECTIONS																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
10-18 TUBERCULOSIS																									
MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	1	-
FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM																									
MALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	1	-
FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-
36 MENINGOCOCCAL INFECTION																									
MALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
38 SEPTICEMIA																									
MALE	154	-	-	-	-	1	1	-	-	-	-	-	2	4	3	5	1	8	4	10	25	23	36	32	-
FEMALE	216	-	-	-	-	-	-	1	-	-	-	1	-	4	3	1	2	1	10	11	22	23	42	95	-
42-44 HUMAN IMMUNODEFICIENCY VIRUS (HIV) INFECTION																									
MALE	170	2	1	1	-	-	4	-	-	-	4	20	43	31	26	20	7	8	5	1	1	-	-	-	-
FEMALE	45	1	-	-	-	-	1	1	-	-	-	2	13	9	9	4	3	-	2	1	-	-	-	-	-
90-97 SYPHILIS																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																									
MALE	29	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	4	1	2	4	2	7	1	4	-
FEMALE	39	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	1	3	4	2	3	8	2	10	-
140-208 MALIGNANT NEOPLASMS																									
MALE	3,468	2	-	3	1	1	6	4	6	6	10	13	20	36	55	87	154	236	460	583	635	526	360	271	-
FEMALE	3,354	1	1	2	-	1	5	1	2	7	4	11	17	34	83	93	127	254	383	445	510	490	423	465	-
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																									
MALE	63	-	1	-	-	-	1	1	-	2	-	2	1	1	3	2	2	6	6	14	6	5	7	6	-
FEMALE	61	-	1	1	-	-	2	-	-	-	-	1	-	-	-	-	1	3	2	6	9	12	9	16	-
250 DIABETES MELLITIS																									
MALE	217	-	-	-	-	-	-	-	-	1	2	3	3	4	7	9	12	12	30	24	33	33	26	28	-
FEMALE	283	-	-	-	-	-	-	-	-	-	-	1	-	3	5	4	7	14	18	33	40	44	44	70	-
280-285 ANEMIAS																									
MALE	25	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	2	1	3	2	2	2	10	-
FEMALE	36	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	1	-	1	4	5	10	10	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1988-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
303 ALCOHOL DEPENDENCE SYNDROME																									
MALE	60	-	-	-	-	-	-	-	-	-	-	-	2	8	6	6	10	5	7	6	6	4	-	-	-
FEMALE	17	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	4	2	3	-	1	1	1	1	-
320-322 MENINGITIS																									
MALE	6	1	-	-	1	-	2	1	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE	6	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-
390-448 MAJOR CARDIOVASCULAR DISEASES																									
MALE	5,980	6	-	1	-	1	8	1	1	4	7	6	19	49	84	117	169	322	529	757	974	959	835	1,137	2
FEMALE	6,757	7	1	1	1	1	11	2	1	3	3	8	18	19	27	49	82	139	243	422	699	943	1,174	2,914	-
390-398,402,404-429 DISEASES OF THE HEART																									
MALE	4,964	5	-	1	-	1	7	-	1	3	6	4	15	45	71	103	150	289	458	641	821	788	664	896	2
FEMALE	5,303	7	1	1	1	1	11	2	1	2	1	4	13	14	19	34	64	110	199	346	579	758	910	2,236	-
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																									
MALE	16	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	2	2	4	2	1	-	-
FEMALE	45	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	3	7	7	11	10	-
402 HYPERTENSIVE HEART DISEASE																									
MALE	114	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	9	9	15	16	13	19	12	10	-
FEMALE	149	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	9	5	16	25	33	51	-
404 HYPERTENSIVE HEART AND RENAL DISEASE																									
MALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-
FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	-
410-414 ISCHEMIC HEART DISEASE																									
MALE	3,247	1	-	-	-	-	1	-	-	-	-	-	5	26	40	55	92	180	293	429	560	521	436	607	2
FEMALE	3,364	-	-	-	-	1	1	-	-	-	-	-	2	2	12	13	29	62	119	199	389	511	597	1,428	-
415-429 OTHER HEART DISEASE																									
MALE	1,582	4	-	1	-	1	6	-	1	3	5	4	9	18	28	40	48	99	148	194	244	246	212	277	-
FEMALE	1,739	7	1	1	1	-	10	2	1	2	1	4	11	11	6	19	29	42	70	139	167	214	269	742	-
401,403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																									
MALE	58	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	2	4	9	11	9	15	-
FEMALE	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	4	6	10	13	30	-
430-438 CEREBROVASCULAR DISEASES																									
MALE	667	1	-	-	-	-	1	1	-	-	1	1	4	3	10	9	13	17	48	67	93	116	122	161	-
FEMALE	1,055	-	-	-	-	-	-	-	-	-	1	4	4	4	8	14	11	18	28	47	85	143	195	493	-
440 ATHEROSCLEROSIS																									
MALE	96	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	4	8	14	14	12	38	-
FEMALE	158	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	4	8	21	10	23	108	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1988-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																								
MALE	196	-	-	-	-	-	-	-	-	1	-	1	-	1	1	3	4	8	17	37	37	30	28	28	-
FEMALE	168	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	4	6	8	17	27	22	33	47	-
480-486 PNEUMONIA																								
MALE	480	1	-	-	1	-	2	1	-	-	-	-	4	1	9	7	8	11	28	41	35	80	81	172	-
FEMALE	609	-	-	-	-	-	-	-	-	-	-	-	5	3	5	4	7	5	11	19	27	65	110	348	-
487 INFLUENZA																								
MALE	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-	7	-
FEMALE	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	11	-
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																								
MALE	546	-	-	1	-	-	1	2	-	-	2	-	1	-	2	1	5	22	39	67	84	103	118	99	-
FEMALE	404	-	-	-	-	-	-	-	1	-	1	-	-	2	2	3	5	23	27	49	62	74	76	79	-
531-533 ULCER OF STOMACH AND DUODENUM																								
MALE	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	4	4	2	4	7	-
FEMALE	38	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	4	7	6	14	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																								
MALE	17	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	3	-	3	2	5	-
FEMALE	42	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	6	3	11	19	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																								
MALE	217	-	-	-	-	-	-	-	-	-	-	-	8	17	20	22	10	27	26	29	22	20	9	7	-
FEMALE	106	-	-	-	-	-	-	-	-	-	-	2	2	7	6	7	12	13	7	13	14	12	9	2	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																								
MALE	151	1	-	-	-	-	1	1	-	-	-	1	-	4	1	4	3	8	8	17	26	27	17	33	-
FEMALE	153	-	-	-	-	-	-	-	-	1	1	-	-	-	3	2	2	2	6	13	14	16	30	63	-
590 INFECTIONS OF KIDNEY																								
MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-
FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	-
600 HYPERPLASIA OF PROSTATE																								
MALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	-
740-759 CONGENITAL ANOMALIES																								
MALE	66	46	2	1	1	-	50	1	-	1	1	1	-	-	1	-	-	1	-	2	-	2	4	2	-
FEMALE	58	35	-	-	2	-	37	1	1	1	-	1	2	1	3	1	-	-	2	-	3	1	1	3	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1988-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																								
MALE	138	138	-	-	-	-	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	99	99	-	-	-	-	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																								
MALE	16	16	-	-	-	-	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	4	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																								
MALE	635	-	4	1	1	2	8	17	14	72	77	81	65	38	30	31	15	19	20	24	25	31	27	41	-
FEMALE	326	5	1	2	1	1	10	3	3	28	17	12	15	14	17	6	16	14	10	19	27	27	34	54	-
E810-E825 MOTOR VEHICLE ACCIDENTS																								
MALE	347	-	-	-	1	-	1	11	10	54	66	58	37	20	10	17	7	9	4	11	12	5	7	8	-
FEMALE	151	1	-	2	1	1	5	3	1	25	16	11	7	11	9	3	13	5	4	9	9	7	11	2	-
E910 ACCIDENTAL DROWNING AND SUBMERSION																								
MALE	43	-	3	-	-	1	4	3	1	6	2	7	7	4	4	2	-	1	-	1	1	-	-	-	-
FEMALE	7	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	1	-	2	-	-	-
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																								
MALE	281	-	-	-	-	-	-	-	2	19	42	30	41	20	19	16	9	14	11	13	9	22	10	4	-
FEMALE	52	-	-	-	-	-	-	-	-	3	1	2	8	6	5	7	2	3	4	4	2	4	1	-	-
E960-E978 HOMICIDE AND LEGAL INTERVENTION																								
MALE	138	3	-	-	-	-	3	-	-	24	22	32	26	8	11	2	3	3	2	2	-	-	-	-	-
FEMALE	40	2	2	-	-	-	4	2	-	3	13	7	3	-	1	-	-	-	2	2	1	1	1	-	-
ALL OTHER CAUSES																								
MALE	1,317	34	1	5	-	1	41	3	4	14	25	48	89	54	47	41	41	51	80	113	144	157	166	199	-
FEMALE	1,513	22	5	1	3	2	33	8	1	8	9	11	17	22	19	34	28	29	65	95	127	190	236	581	-

- NO DEATHS REPORTED
NOTE: TABLE IS AVAILABLE BY TOWN OF RESIDENCE

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1988

ICD 9TH REVISION	Total	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
TOTAL, ALL CAUSES	1,950	101	5	4	4	3	117	8	14	28	51	65	100	86	108	117	128	132	170	188	169	149	145	174	1
MALE	1,105	58	3	3	-	3	67	5	7	25	37	53	70	60	67	75	76	71	104	111	84	80	61	51	1
FEMALE	845	43	2	1	4	-	50	3	7	3	14	12	30	26	41	42	52	61	66	77	85	69	84	123	-
10-18 TUBERCULOSIS																									
MALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
38 SEPTICEMIA																									
MALE	11	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	4	1	1	-	-
FEMALE	21	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	1	1	-	3	3	3	2	2	-
42-44 HUMAN IMMUNODEFICIENCY VIRUS (HIV) INFECTION																									
MALE	53	1	1	-	-	-	2	-	-	-	2	7	14	10	11	5	-	1	1	-	-	-	-	-	-
FEMALE	23	-	-	-	-	-	-	-	-	-	-	1	9	3	4	3	3	-	-	-	-	-	-	-	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																									
MALE	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	-	-	-	-	-
140-208 MALIGNANT NEOPLASMS																									
MALE	191	-	-	-	-	1	1	-	-	1	1	2	2	3	7	10	21	13	34	40	24	15	12	5	-
FEMALE	176	-	-	-	-	-	-	-	1	1	1	-	5	3	15	8	13	21	24	26	19	7	13	19	-
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																									
MALE	6	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE	5	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-
250 DIABETES MELLITIS																									
MALE	20	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	2	4	2	3	1	3	-
FEMALE	27	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	1	3	6	-	3	6	-
280-285 ANEMIAS																									
MALE	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-
303 ALCOHOL DEPENDENCE SYNDROME																									
MALE	19	-	-	-	-	-	-	-	-	-	-	-	-	2	5	4	5	1	1	1	-	-	-	-	-
FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	-	-	-	-	-	-
320-322 MENINGITIS																									
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1988-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
390-448 MAJOR CARDIOVASCULAR DISEASES																								
MALE	351	-	-	-	-	-	-	-	-	1	4	2	5	12	13	22	26	36	47	42	45	38	29	28	1
FEMALE	326	1	-	1	1	-	3	1	1	-	-	4	1	4	5	11	22	22	27	31	42	43	49	60	-
390-398,402,404-429 DISEASES OF THE HEART																								
MALE	279	-	-	-	-	-	-	-	-	-	3	2	4	12	9	19	23	29	35	33	36	27	24	22	1
FEMALE	252	1	-	1	1	-	3	1	1	-	-	2	-	2	4	9	17	18	24	27	35	33	36	40	-
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																								
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
402 HYPERTENSIVE HEART DISEASE																								
MALE	21	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	2	-	6	3	-	2	-	1	-
FEMALE	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	2	1	3	2	3	1	-
410-414 ISCHEMIC HEART DISEASE																								
MALE	136	-	-	-	-	-	-	-	-	-	-	-	1	4	3	6	13	13	17	14	23	12	12	17	1
FEMALE	115	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	9	11	11	17	20	16	23	-
415-429 OTHER HEART DISEASE																								
MALE	121	-	-	-	-	-	-	-	-	-	3	2	2	8	5	7	8	16	12	16	13	13	12	4	-
FEMALE	117	1	-	1	1	-	3	1	1	-	-	2	-	1	2	5	10	8	11	15	14	11	17	16	-
401,403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																								
MALE	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	2	-	3	1	1	-
FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	1	1	1	2	-
430-438 CEREBROVASCULAR DISEASES																								
MALE	43	-	-	-	-	-	-	-	-	-	1	-	1	-	3	2	1	6	8	5	6	3	4	3	-
FEMALE	53	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	4	1	2	3	6	9	7	14	-
440 ATHEROSCLEROSIS																								
MALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	2	-	1	-
FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																								
MALE	11	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	3	3	-	1	-
FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	4	2	-
480-486 PNEUMONIA																								
MALE	27	-	-	-	-	-	-	-	-	-	-	-	1	1	5	1	2	2	3	2	-	4	3	3	-
FEMALE	18	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	1	1	-	1	2	7	-
487 INFLUENZA																								
MALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1988-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																								
MALE	24	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	3	3	1	8	3	4	-
FEMALE	13	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	3	-	1	-	3	2	-	-
531-533 ULCER OF STOMACH AND DUODENUM																								
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																								
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																								
MALE	21	-	-	-	-	-	-	-	-	-	-	-	1	3	5	5	2	2	1	2	-	-	-	-	-
FEMALE	8	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	1	1	-	-	-	-	-	-	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																								
MALE	18	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	4	1	4	1	1	1	1	-
FEMALE	15	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	1	1	-	2	-	2	1	3	-
590 INFECTIONS OF KIDNEY																								
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																								
MALE	10	7	1	-	-	-	8	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE	5	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																								
MALE	37	37	-	-	-	-	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	26	26	-	-	-	-	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																								
MALE	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																								
MALE	64	-	1	1	-	1	3	4	4	9	10	9	9	2	1	3	2	1	1	1	2	1	1	1	-
FEMALE	27	2	-	1	-	1	3	1	3	2	2	2	4	2	1	1	-	-	1	1	2	1	1	-	-
E810-E825 MOTOR VEHICLE ACCIDENTS																								
MALE	34	-	-	-	-	-	-	3	3	5	9	5	4	1	-	-	1	-	-	1	1	-	1	-	-
FEMALE	15	-	-	-	1	-	1	1	1	2	2	1	2	1	-	-	-	-	1	1	1	1	-	-	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1988-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
E910 ACCIDENTAL DROWNING AND SUBMERSION																									
MALE	8	-	1	-	-	-	1	1	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																									
MALE	20	-	-	-	-	-	-	-	1	1	7	3	2	2	-	3	-	-	-	-	-	-	1	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E960-E978 HOMICIDE AND LEGAL INTERVENTION																									
MALE	62	1	-	-	-	-	1	-	-	10	11	14	14	3	5	1	-	1	1	1	-	-	-	-	-
FEMALE	10	1	-	-	-	-	1	-	-	-	5	2	1	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER CAUSES																									
MALE	158	11	-	2	-	1	14	-	2	2	1	13	19	17	11	18	12	4	9	8	4	9	9	6	-
FEMALE	120	7	1	-	2	-	10	1	1	-	4	2	6	4	5	8	7	5	6	9	12	7	11	22	-

- NO DEATHS REPORTED

NOTE: This table is available by race categories for White, Black, Other Races, and Race Unknown.

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1988

RESIDENCE	DEATHS UNDER 1 YEAR				AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	WHITE	NON-WHITE	BLACK	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
CONNECTICUT.....	426	319	101	99	174	85	41	50	76	81	237	39	12	20	88
HSA 1 SOUTHWESTERN..	78	43	30	30	28	18	9	9	14	12	41	6	3	2	23
BRIDGEPORT	29	16	13	13	9	7	4	3	6	3	15	3	1	-	11
DARIEN	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-
EASTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FAIRFIELD	2	1	-	-	-	2	-	-	-	1	1	-	-	-	-
GREENWICH	6	3	2	2	2	-	2	-	2	4	2	1	-	-	-
MONROE	4	4	-	-	2	2	-	-	-	1	3	-	1	-	-
NEW CANAAN	1	1	-	-	-	-	-	1	-	-	-	-	-	1	-
NORWALK	13	6	6	6	4	3	-	3	3	1	5	-	1	1	6
STAMFORD	17	7	9	9	8	3	1	2	3	1	11	2	-	-	5
STRATFORD	2	2	-	-	1	1	-	-	-	1	1	-	-	-	-
TRUMBULL	2	2	-	-	1	-	1	-	-	-	2	-	-	-	-
WESTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTPORT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WILTON	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1
HSA 2 SOUTH CENTRAL.	94	64	29	29	36	14	10	14	20	19	47	5	2	8	20
ANSONIA	3	3	-	-	3	-	-	-	-	2	1	-	-	-	-
BETHANY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRANFORD	1	1	-	-	-	-	-	1	-	-	-	-	-	-	1
DERBY	1	1	-	-	-	-	-	-	1	-	-	-	-	1	-
EAST HAVEN	2	2	-	-	-	-	-	1	1	1	-	-	-	1	-
GUILFORD	2	2	-	-	1	1	-	-	-	-	2	1	-	-	-
HAMDEN	4	4	-	-	2	-	-	-	2	1	2	1	-	1	-
MADISON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MERIDEN	13	11	2	2	4	1	1	3	4	3	5	-	-	2	3
MILFORD	4	4	-	-	3	1	-	-	-	4	-	-	-	-	-
NEW HAVEN	41	17	23	23	14	6	8	5	8	3	26	3	2	3	9
NORTH BRANFORD.....	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-
NORTH HAVEN	3	3	-	-	1	-	1	1	-	-	1	-	-	-	2
ORANGE	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
OXFORD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEYMOUR	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-
SHELTON	5	5	-	-	2	1	-	-	2	3	-	-	-	-	2
WALLINGFORD	2	2	-	-	1	-	-	1	-	1	1	-	-	-	-
WEST HAVEN	10	6	4	4	5	1	-	2	2	-	7	-	-	-	3
WOODBRIDGE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1988-Continued

RESIDENCE	DEATHS UNDER 1 YEAR				AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	WHITE	NON-WHITE	BLACK	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
HSA 3 EASTERN.....	69	63	6	4	30	13	7	7	12	11	42	6	1	4	12
ASHFORD	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-
BOZRAH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-
CANTERBURY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHAPLIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESTER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLINTON	2	2	-	-	1	1	-	-	-	-	2	-	-	-	-
COLCHESTER	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-
COLUMBIA	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-
COVENTRY	2	2	-	-	1	-	-	-	1	-	1	-	-	-	1
CROMWELL	3	3	-	-	1	1	-	-	1	-	2	1	-	1	-
DEEP RIVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DURHAM	2	2	-	-	-	1	-	-	1	-	1	-	-	-	1
EASTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HAMPTON	1	-	1	-	-	-	-	1	-	-	-	-	-	1	-
EAST LYME	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-
ESSEX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD	2	2	-	-	-	-	-	2	-	-	1	-	-	-	1
GROTON	12	11	1	1	4	1	1	3	3	2	7	-	-	1	2
HADDAM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HAMPTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KILLINGLY	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-
KILLINGWORTH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEBANON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEDYARD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LISBON	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-
LYME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MANSFIELD	1	1	-	-	1	-	-	-	-	-	1	1	-	-	-
MIDDLEFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLETOWN	4	4	-	-	2	1	1	-	-	1	3	1	-	-	-
MONTVILLE	4	3	1	-	-	3	1	-	-	1	3	1	1	-	-
NEW LONDON	6	4	2	2	4	1	-	-	1	-	6	1	-	-	-
N STONINGTON	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-
NORWICH	7	6	1	-	5	-	-	-	2	1	4	-	-	-	2
OLD LYME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OLD SAYBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1988-Continued

RESIDENCE	DEATHS UNDER 1 YEAR				AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	WHITE	NON-WHITE	BLACK	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
PLAINFIELD	2	2	-	-	-	1	1	-	-	1	-	-	-	-	1
POMFRET	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PRESTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PUTNAM	2	2	-	-	2	-	-	-	-	1	1	1	-	-	-
SALEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STERLING	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STONINGTON	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-
THOMPSON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERFORD	2	2	-	-	-	-	-	1	1	-	1	-	-	-	1
WESTBROOK	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-
WILLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINDHAM	7	7	-	-	3	1	1	-	2	2	2	-	-	-	3
WOODSTOCK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 4 NORTH CENTRAL	137	105	32	32	63	25	12	16	21	27	81	17	4	4	25
ANDOVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AVON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN	1	1	-	-	-	-	-	-	1	-	-	-	-	-	1
BLOOMFIELD	2	-	2	2	2	-	-	-	-	1	1	1	-	-	-
BOLTON	1	1	-	-	-	1	-	-	-	-	1	-	1	-	-
BRISTOL	12	12	-	-	3	2	3	3	1	4	4	-	-	1	3
BURLINGTON	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-
CANTON	3	3	-	-	2	1	-	-	-	1	2	2	-	-	-
EAST GRANBY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HARTFORD	9	7	2	2	2	4	-	2	1	4	5	-	-	-	-
EAST WINDSOR	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1
ELLINGTON	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-
ENFIELD	8	8	-	-	6	1	-	1	-	1	6	1	-	1	-
FARMINGTON	5	3	2	2	3	1	-	-	1	-	4	1	-	-	1
GLASTONBURY	2	2	-	-	1	-	-	1	-	1	1	-	1	-	-
GRANBY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HARTFORD	47	22	25	25	27	8	2	3	7	3	33	9	2	1	10
HARTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEBRON	1	1	-	-	1	-	-	-	-	-	1	1	-	-	-
MANCHESTER	7	7	-	-	4	-	-	-	3	1	4	-	-	-	2

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1988-Continued

RESIDENCE	DEATHS UNDER 1 YEAR				AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	WHITE	NON-WHITE	BLACK	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
MARLBOROUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW BRITAIN	9	8	1	1	3	1	1	4	-	1	4	1	-	1	3
NEWINGTON	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-
PLAINVILLE	4	4	-	-	2	-	-	1	1	2	-	-	-	-	2
PLYMOUTH	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-
ROCKY HILL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIMSBURY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOMERS	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-
SOUTHINGTON	2	2	-	-	1	1	-	-	-	1	1	-	-	-	-
SOUTH WINDSOR	3	3	-	-	-	1	-	-	2	2	1	-	-	-	-
STAFFORD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUFFIELD	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
TOLLAND	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-
VERNON	4	4	-	-	2	-	1	-	1	-	3	1	-	-	1
WEST HARTFORD	3	3	-	-	1	-	1	1	-	-	3	-	-	-	-
WETHERSFIELD	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-
WINDSOR	4	4	-	-	1	-	2	-	1	1	2	-	-	-	1
WINDSOR LOCKS	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-
HSA 5 NORTHWESTERN..	48	44	4	4	17	15	3	4	9	12	26	5	2	2	8
BARKHAMSTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BEACON FALLS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHEL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHLEHEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-
CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESHIRE	3	3	-	-	1	1	-	-	1	1	1	-	-	-	1
COLEBROOK	1	1	-	-	-	-	-	1	-	-	-	-	-	-	1
CORNWALL	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-
DANBURY	7	7	-	-	4	2	-	1	-	-	6	2	-	-	1
GOSHEN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HARWINTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LITCHFIELD	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-
MIDDLEBURY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MORRIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NAUGATUCK	3	3	-	-	-	2	-	1	-	-	2	-	-	1	-
NEW FAIRFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW HARTFORD	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1988-Continued

RESIDENCE	DEATHS UNDER 1 YEAR				AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	WHITE	NON-WHITE	BLACK	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
NEW MILFORD	2	2	-	-	1	-	-	-	1	-	1	-	-	1	-
NEWTOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORFOLK	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-
NORTH CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PROSPECT	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
REDDING	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RIDGEFIELD	2	2	-	-	-	1	-	-	1	1	-	-	-	-	1
ROXBURY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHARON	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-
SHERMAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHBURY	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
THOMASTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TORRINGTON	3	3	-	-	1	2	-	-	-	-	3	-	-	-	-
WARREN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
WATERBURY	17	13	4	4	7	3	2	1	4	4	9	3	1	-	4
WATERTOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINCHESTER	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-
WOLCOTT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WOODBURY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO DEATHS REPORTED
NOTE: FIGURES FOR WHITE, BLACK, OTHER RACES, AND UNKNOWN RACE SUM TO THE TOTAL NUMBER OF INFANT DEATHS. DATA FOR OTHER RACES AND UNKNOWN RACE ARE NOT PRINTED IN THIS REPORT.

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1988

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES	426	174	85	24	8	9	300	28	22	18	13	6	11	7	5	7	6	3
MALE	249	103	50	11	2	6	172	14	13	10	8	5	8	5	4	4	4	2
FEMALE	177	71	35	13	6	3	128	14	9	8	5	1	3	2	1	3	2	1
001-139 INFECTIVE AND PARASITIC DISEASES																		
MALE	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
140-208 MALIGNANT NEOPLASMS																		
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
390-398, 402,404-429 DISEASES OF THE HEART																		
MALE	5	-	-	1	-	-	1	-	1	1	1	1	-	-	-	-	-	-
FEMALE	7	1	2	-	-	-	3	-	-	-	1	-	-	1	1	1	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE	4	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
480-486 PNEUMONIA																		
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE	46	18	15	3	-	-	36	-	2	1	1	1	-	1	-	1	2	1
FEMALE	35	14	9	5	2	-	30	2	-	-	2	-	-	-	-	-	1	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE	138	83	31	6	2	4	126	3	-	-	1	1	3	1	-	1	2	-
FEMALE	99	56	23	7	3	1	90	5	-	1	1	1	1	-	-	-	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE	22	21	1	-	-	-	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE	17	15	2	-	-	-	17	-	-	-	-	-	-	-	-	-	-	-
767 BIRTH TRAUMA																		
MALE	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1988-Continued

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE	7	2	3	1	-	-	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE	5	3	1	1	-	-	5	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE	16	-	-	-	-	1	1	4	5	3	-	-	1	1	1	-	-	-
FEMALE	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																		
FEMALE	5	-	1	-	-	1	2	-	1	-	-	-	-	-	-	1	1	-
E911-E912 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT																		
FEMALE	3	-	1	-	-	1	2	-	-	-	-	-	-	-	-	1	-	-
E913 ACCIDENTAL MECHANICAL SUFFOCATION																		
FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER CAUSES																		
MALE	37	2	4	1	-	1	8	7	4	4	4	2	2	2	2	1	-	1
FEMALE	23	-	-	1	1	1	3	6	6	4	-	-	2	1	-	-	-	1

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1988-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES	101	44	15	4	4	3	70	6	6	3	5	2	5	-	-	-	2	3
MALE	58	23	11	3	1	2	40	1	4	1	2	2	4	-	-	-	2	2
FEMALE	43	21	4	1	3	1	30	5	2	2	2	-	1	-	-	-	-	1
001-139 INFECTIVE AND PARASITIC DISEASES																		
MALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
390-398, 402,404-429 DISEASES OF THE HEART																		
FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE	7	-	2	-	-	-	2	-	1	1	1	1	-	-	-	-	-	1
FEMALE	4	1	-	1	2	-	4	-	-	-	-	-	-	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE	37	22	6	3	1	2	34	-	-	-	-	-	1	-	-	-	2	-
FEMALE	26	20	4	-	-	-	24	1	-	-	1	-	-	-	-	-	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE	6	6	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE	7	6	1	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																		
FEMALE	2	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1988-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
E911-E912 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT																		
FEMALE	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
E913 ACCIDENTAL MECHANICAL SUFFOCATION																		
FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER CAUSES																		
MALE	10	1	3	-	-	-	4	1	1	-	1	1	1	-	-	-	-	1
FEMALE	8	-	-	-	1	-	1	3	1	1	-	-	1	-	-	-	-	1

- NO DEATHS REPORTED

NOTE: This table is available by race categories for White, Black, Other Races, and Race Unknown.

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1988

CAUSES OF DEATH (ICD 9th Revision)	Total Deaths	Age-Specific Death Rate Per 100,000	Per Cent Within Age Group	Male Deaths	Age-Specific Male Rate Per 100,000	Per Cent Within Age Group	Female Deaths	Age-Specific Female Rate Per 100,000	Percent Within Age Group
All Causes (Under 1 yr.)*	426	8.9	100.0	249	10.1	100.0	177	7.6	100.0
Certain conditions originating in perinatal period (760-779)	237	4.9	55.6	138	5.6	55.4	99	4.2	55.9
Congenital anomalies (740-759)	81	1.7	19.0	46	1.9	18.5	35	1.5	19.8
Sudden infant death syndrome (798.0)	20	0.4	4.7	16	0.6	6.4	4	0.2	2.3
Diseases of the heart (390-398, 402,404-429)	12	0.2	2.8	5	0.2	2.0	7	0.3	4.0
Accidents, total (E800-E949)	5	0.1	1.2	0	0.0	0.0	5	0.2	2.8
Motor vehicle accidents	1	0.0	0.2	0	0.0	0.0	1	0.0	0.6
Homicide and legal intervention (E960-E978)	5	0.1	1.2	3	0.1	1.2	2	0.1	1.1
Human immunodeficiency virus (HIV) infection (42-44)	3	0.1	0.7	2	0.1	0.8	1	0.0	0.6
Malignant neoplasms (140-208)	2	0.0	0.5	1	0.0	0.4	1	0.0	0.6
Cerebrovascular Diseases (430-438)	1	0.0	0.2	1	0.0	0.4	0	0.0	0.0
Pneumonia and influenza (480-487)	1	0.0	0.2	1	0.0	0.4	0	0.0	0.0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	0.0	0.2	1	0.0	0.4	0	0.0	0.0
All other causes	58	1.2	13.6	35	1.4	14.1	23	1.0	13.0
All Causes (1-14 years)	155	26.6	100.0	94	31.6	100.0	61	21.5	100.0
Accidents, total (E800-E949)	50	8.6	32.3	39	13.1	41.5	11	3.9	18.0
Motor vehicle accidents (E810-E825)	30	5.2	19.4	22	7.4	23.4	8	2.8	13.1
Malignant neoplasms (140-208)	22	3.8	14.2	15	5.0	16.0	7	2.5	11.5
Diseases of the heart (390-398, 402, 404-429)	10	1.7	6.5	3	1.0	3.2	7	2.5	11.5
Congenital anomalies (740-759)	9	1.5	5.8	5	1.7	5.3	4	1.4	6.6
Homicide and legal intervention (E960-E978)	4	0.7	2.6	0	0.0	0.0	4	1.4	6.6
Chronic obstructive pulmonary disease and allied conditions (490-496)	4	0.7	2.6	3	1.0	3.2	1	0.4	1.6
Human immunodeficiency virus (HIV) infection (42-44)	3	0.5	1.9	2	0.7	2.1	1	0.4	1.6
Pneumonia and influenza (480-487)	2	0.3	1.3	2	0.7	2.1	0	0.0	0.0
Septicaemia (38)	2	0.3	1.3	1	0.3	1.1	1	0.4	1.6
Suicide	2	0.3	1.3	2	0.7	2.1	0	0.0	0.0
All other causes	49	8.4	31.6	24	8.1	25.5	25	8.8	41.0
All Causes (15-24 years)	440	90.1	100.0	336	136.7	100.0	104	42.8	100.0
Accidents, total (E800-E949)	194	39.7	44.1	149	60.6	44.3	45	18.5	43.3
Motor vehicle accidents (E810-E825)	161	33.0	36.6	120	48.8	35.7	41	16.9	39.4
Suicide (E950-E959)	65	13.3	14.8	61	24.8	18.2	4	1.6	3.8
Homicide and legal intervention (E960-E978)	62	12.7	14.1	46	18.7	13.7	16	6.6	15.4
Malignant neoplasms (140-208)	27	5.5	6.1	16	6.5	4.8	11	4.5	10.6
Diseases of the heart (390-398, 402, 404-429)	12	2.5	2.7	9	3.7	2.7	3	1.2	2.9
Human immunodeficiency virus (HIV) infection (42-44)	4	0.8	0.9	4	1.6	1.2	1	0.4	1.0
Congenital anomalies (740-759)	3	0.6	0.7	2	0.8	0.6	1	0.4	1.0
Chronic obstructive pulmonary disease and allied conditions (490-496)	3	0.6	0.7	2	0.8	0.6	1	0.4	1.0
Diabetes mellitus (250)	3	0.6	0.7	3	1.2	0.9	0	0.0	0.0
Cerebrovascular Diseases (430-438)	2	0.4	0.5	1	0.4	0.3	1	0.4	1.0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	0.4	0.5	0	0.0	0.0	2	0.8	1.9
All other causes	63	12.9	14.3	43	17.5	12.8	20	8.2	19.2

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1988

CAUSES OF DEATH (ICD 9th Revision)	Total Deaths	Age-Specific Death Rate Per 100,000	Per Cent Within Age Group	Male Deaths	Age-Specific Male Rate Per 100,000	Per Cent Within Age Group	Female Deaths	Age-Specific Female Rate Per 100,000	Percent Within Age Group
All Causes (25-44 years)	1,651	158.7	100.0	1,169	228.2	100.0	482	91.3	100.0
Accidents, total (E800-E949)	272	26.1	16.5	214	41.8	18.3	58	11.0	12.0
Motor vehicle accidents (E810-E825)	163	15.7	9.9	125	24.4	10.7	38	7.2	7.9
Malignant neoplasms (140-208)	269	25.9	16.3	124	24.2	10.6	145	27.5	30.1
Diseases of the heart (390-398, 402, 404-429)	185	17.8	11.2	135	26.4	11.5	50	9.5	10.4
Human immunodeficiency virus (HIV) infection (42-44)	153	14.7	9.3	120	23.4	10.3	33	6.2	6.8
Suicide (E950-E959)	131	12.6	7.9	110	21.5	9.4	21	4.0	4.4
Homicide and legal intervention (E960-E978)	88	8.5	5.3	77	15.0	6.6	11	2.1	2.3
Chronic liver disease and cirrhosis (571)	62	6.0	3.8	45	8.8	3.8	17	3.2	3.5
Cerebrovascular disease (430-438)	38	3.7	2.3	18	3.5	1.5	20	3.8	4.1
Pneumonia and influenza (480-487)	28	2.7	1.7	15	2.9	1.3	13	2.5	2.7
Diabetes mellitus (250)	26	2.5	1.6	17	3.3	1.5	9	1.7	1.9
All other causes	399	38.4	24.2	294	57.4	25.1	105	19.9	21.8
All Causes (45-64 years)	4,669	687.1	100.0	2,838	871.2	100.0	1,831	517.6	100.0
Malignant neoplasms (140-208)	1,794	264.0	38.4	937	287.6	33.0	857	242.3	46.8
Diseases of the heart (390-398, 402, 404-429)	1,407	207.1	30.1	1,000	307.0	35.2	407	115.1	22.2
Cerebrovascular disease (430-438)	158	23.3	3.4	87	26.7	3.1	71	20.1	3.9
Accidents, total (E800-E949)	131	19.3	2.8	85	26.1	3.0	46	13.0	2.5
Motor vehicle accidents	62	9.1	1.3	37	11.4	1.3	25	7.1	1.4
Chronic obstructive pulmonary disease and allied conditions (490-496)	125	18.4	2.7	67	20.6	2.4	58	16.4	3.2
Chronic liver disease and cirrhosis (571)	124	18.2	2.7	85	26.1	3.0	39	11.0	2.1
Diabetes mellitis (250)	96	14.1	2.1	53	16.3	1.9	43	12.2	2.3
Pneumonia and influenza (480-487)	82	12.1	1.8	55	16.9	1.9	27	7.6	1.5
Suicide (E950-E959)	66	9.7	1.4	50	15.3	1.8	16	4.5	0.9
All other causes	686	101.0	14.7	419	128.6	14.8	267	75.5	14.6
All Causes (65 years and over)	21,172	4,335.6	100.0	9,542	4,823.1	100.0	11,630	4,003.6	100.0
Diseases of the heart (390-398, 402, 404-429)	8,639	1,769.1	40.8	3,810	1,925.8	39.9	4,829	1,662.4	41.5
Malignant neoplasms (140-208)	4,708	964.1	22.2	2,375	1,200.5	24.9	2,333	803.1	20.1
Cerebrovascular disease (430-438)	1,522	311.7	7.2	559	282.6	5.9	963	331.5	8.3
Pneumonia and influenza (480-487)	1,001	205.0	4.7	418	211.3	4.4	583	200.7	5.0
Chronic obstructive pulmonary disease and allied conditions (490-496)	811	166.1	3.8	471	238.1	4.9	340	117.0	2.9
Diabetes mellitis (250)	375	76.8	1.8	144	72.8	1.5	231	79.5	2.0
Septicaemia (38)	319	65.3	1.5	126	63.7	1.3	193	66.4	1.7
Accidents, total (E800-E949)	309	63.3	1.5	148	74.8	1.6	161	55.4	1.4
Motor vehicle accidents	81	16.6	0.4	43	21.7	0.5	38	13.1	0.3
Nephritis, nephrotic syndrome and nephrosis (580-589)	256	52.4	1.2	120	60.7	1.3	136	46.8	1.2
Atherosclerosis (440)	237	48.5	1.1	86	43.5	0.9	151	52.0	1.3
Chronic liver disease and cirrhosis (571)	137	28.1	0.6	87	44.0	0.9	50	17.2	0.4
All other causes	2,858	585.3	13.5	1,198	605.5	12.6	1,659	571.1	14.3

*Rates for persons under one year per 1,000 live births.

TABLE 12: NUMBER OF PRESENT MARRIAGE FOR BRIDE AND GROOM IN MARRIAGES OCCURRING IN CONNECTICUT, 1988

Number for Groom

Number for Bride	TOTAL	First	Second	Third	Fourth	Fifth	Sixth	Unknown
TOTAL	27,892	19,705	6,748	1,225	130	14	2	68
First	19,843	16,603	2,828	337	32	3	-	40
Second	6,693	2,706	3,261	650	53	6	1	16
Third	1,096	289	554	209	36	5	1	2
Fourth	133	37	64	24	8	-	-	-
Fifth	13	2	8	3	-	-	-	-
Sixth	4	1	3	-	-	-	-	-
Unknown	110	67	30	2	1	-	-	10

TABLE 13: MARITAL STATUS OF BRIDE AND GROOM IN MARRIAGES OCCURRING IN CONNECTICUT, 1988

Previous Marital Status of Groom

Previous Marital Status of Bride	TOTAL	Single	Widowed	Divorced	Annulled	Unknown
TOTAL	27,892	19,705	666	7,236	122	164
Single	19,843	16,603	98	2,959	89	94
Widowed	657	130	265	255	4	3
Divorced	7,007	2,743	291	3,920	22	31
Annulled	132	88	5	33	6	-
Unknown	253	141	7	68	1	36

TABLE 14: COUNTY OF DISSOLUTION OF MARRIAGES, CONNECTICUT, 1988

COUNTY	TOTAL
CONNECTICUT, TOTAL	12,009
Fairfield	2,763
Hartford	3,180
Litchfield	535
Middlesex	528
New Haven	2,987
New London	1,079
Tolland	527
Windham	410
Sex of Complainant:	
Male	4,029
Female	7,740
Joint	3
Not Stated	237

TABLE 15: CHILDREN UNDER 18 AFFECTED BY MARRIAGE DISSOLUTION CONNECTICUT, 1988

Number of Children Under 18 Years Per Dissolution	Number of Dissolutions
Total	12,009
No children	6,040
One child	2,911
Two children	2,298
Three children	604
Four children	132
Five children	15
Six or more children	6
Not stated	3

TABLE 16: DURATION OF MARRIAGES DISSOLVED, CONNECTICUT, 1988

Year Marriage Was Contracted	Number Marriages Dissolved	Year Marriage Was Contracted	Number Marriages Dissolved
TOTAL	12,009	1974	297
1988	47	1973	309
1987	483	1972	253
1986	897	1971	238
1985	994	1970	250
1984	986	1969-1965	1,073
1983	856	1964-1960	545
1982	785	1959-1955	323
1981	711	1954-1950	161
1980	637	1949-1945	60
1979	529	1944-1940	30
1978	449	1939-1935	11
1977	366	1934-1930	6
1976	335	Prior to 1930	4
1975	320	Unknown	54

GLOSSARY

Birth Weight	Weight of fetus or infant at time of delivery.
Fetal Death	Death prior to the complete expulsion or extraction from the mother of a product of conception, which has passed through at least the 20th week of gestation. The fetus shows no signs of life such as heartbeat, pulsation of the umbilical cord, or movement of voluntary muscles.
Gestational Period	Number of weeks elapsed between the first day of the last menstrual period and date of delivery.
Health Service Area (HSA)	Five geographic areas used by the Department of Health Services for planning purposes.
Infant Death	Death occurring to an individual of less than 1 year of age.
Live Birth	The complete expulsion or extraction from the mother of a product of conception, irrespective of the duration of pregnancy; after such separation, breathes or shows other signs of life.
Low Birth Weight	Birth wherein the birth weight is less than 2,500 grams (2,500 grams is approximately equal to 5 lbs. 8 oz.).
Maternal Death	Those deaths wherein the physician has designated a maternal condition as the underlying cause of death.
Neonatal Death	Death occurring to an infant less than 28 days of age.
Occurrence	Place where the event actually occurred regardless of residence.
Residence	Usual place of residence for person to whom event occurred. For births and fetal deaths residence is defined as the mother's usual place of residence.

RATE DEFINITIONS

Type	Definition
Age Specific Death Rate:	$\frac{\text{No. of Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}} \times 100{,}000$
Crude Birth Rate:	$\frac{\text{No. of Resident Live Births}}{\text{Total Resident Population}} \times 1{,}000$
Crude Death Rate	$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Population}} \times 1{,}000$
Divorce Rate:	$\frac{\text{No. of Persons (Divorces \& Annulments}}{\text{Total Resident Population}} \times 1{,}000$
Fetal Death Ratio:	$\frac{\text{Fetal Deaths at Place of Occurrence}}{\text{Total of Births at Place of Occurrence}} \times 1{,}000$
Infant Death Rate:	$\frac{\text{No. of Resident Infant Deaths}}{\text{Total Resident Live Births}} \times 1{,}000$
Marriage Rate:	$\frac{\text{No. of Persons Married}}{\text{Total Population}} \times 1{,}000$